

1
2
3
4

TITLE PAGE
- Korean Journal for Food Science of Animal Resources -
Upload this completed form to website with submission

ARTICLE INFORMATION		Fill in information in each box below
Article Type	Research article	
Article Title	Determination of more than 500 pesticide residues in hen eggs by LC-MS/MS and GC/MS/MS	
Running Title (within 10 words)	Pesticides in hen eggs	
Author	Ozgur Golge ¹ , Turan Liman ² , Bulent Kabak ^{3,*}	
Affiliation	¹ Alanya Alaaddin Keykubat University, Faculty of Tourism, Department of Gastronomy and Culinary Arts, Alanya, Antalya, Turkey ² STA Food Quality Control Laboratory, Akdeniz, Mersin, Turkey ³ Hitit University, Faculty of Engineering, Department of Food Engineering, TR-19030 Corum, Turkey	
Special remarks – if authors have additional information to inform the editorial office		
ORCID (All authors must have ORCID) https://orcid.org	Ozgur Golge (https://orcid.org/0000-0001-5020-339X) Turan Liman (https://orcid.org/0000-0001-9340-8491) Bulent Kabak (https://orcid.org/0000-0001-7816-6308)	
Conflicts of interest List any present or potential conflicts of interest for all authors. (This field may be published.)	The authors declare no potential conflict of interest.	
Acknowledgements State funding sources (grants, funding sources, equipment, and supplies). Include name and number of grant if available. (This field may be published.)	This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.	
Author contributions (This field may be published.)	Conceptualization: Kabak B. Formal analysis: Liman T. Methodology: Golge O, Liman T. Validation: Golge O, Liman T. Investigation: Golge O, Liman T, Kabak B. Writing - original draft: Kabak B. Writing - review & editing: Golge O, Liman T, Kabak B. (This field must list all authors)	
Ethics approval (IRB/IACUC) (This field may be published.)	This manuscript does not require IRB/IACUC approval because there are no human and animal participants.	

5

6 CORRESPONDING AUTHOR CONTACT INFORMATION

For the corresponding author (responsible for correspondence, proofreading, and reprints)		Fill in information in each box below
First name, middle initial, last name	Bulent Kabak	
Email address – this is where your proofs will be sent	bulentkabak@hitit.edu.tr	
Secondary Email address	-	
Postal address	Hitit University, Faculty of Engineering, Department of Food Engineering, TR-19030, Corum, TURKEY	
Cell phone number	+90 535 861 00 18	
Office phone number	+90 364 227 45 33 / 1279	
Fax number	+90 364 227 45 35	

7

8 Validation of determination for pesticides including fipronil in hen eggs by LC-

9 MS/MS and GC/MS/MS

10

11 **Abstract**

This study aims to validate a fast method of simultaneous analysis of 365 LC-amenable and 142 GC-amenable pesticides in hen eggs by liquid chromatography-tandem mass spectrometry (LC-MS/MS) and gas chromatography-tandem mass spectrometry (GC-MS/MS), respectively, operating in multiple reaction monitoring (MRM) acquisition modes. The sample preparation was based on quick, easy, cheap, effective, rugged, and safe (QuEChERS) extraction. Key method performance parameters investigated were specificity, linearity, limit of quantification (LOQ), accuracy, precision and measurement uncertainty. The method was validated at two spiking levels (10 and 50 µg/kg), and good recoveries (70–120%) and relative standard deviations (RSDs) ($\leq 20\%$) were achieved for 92.9% of LC-amenable and 86.6% of GC-amenable pesticide residues. The LOQs were ≤ 10 µg/kg for 94.2% of LC-amenable and 92.3% of GC-amenable pesticides. The validated method was further applied to 100 egg samples from caged hens, and none of the pesticides was quantified.

26

27 Keywords: pesticides, hen eggs, food safety, monitoring, method validation

28

29 Introduction

30 Due to being tasty and cheap, hen eggs are one of the most favourite food on our
31 planet and consumed either as a main dish or used as an ingredient both in processed
32 and home-made food products. Eggs are a natural source of many nutrients, including

33 high-quality protein, vitamins (riboflavin, cobalamin, pantothenic acid, vitamin D,
34 vitamin A etc.), certain essential minerals and trace elements, including phosphorus
35 (Guyonnet, 2015). The Food and Agricultural Organization (FAO) has stated that the
36 global production of hen's eggs (in shells) in 2018 was about 77 million metric tonnes.
37 While China, the United States and India are the top three countries for eggs production,
38 Turkey is the ninth in world hen's eggs production at about 0.96 million tonnes of
39 unprocessed, in-shell hen's eggs produced annually (FAO, 2018). Turkey is also the
40 leading hen's egg producer in Europe and the third exporter of eggs in the world, after
41 the Netherlands and the United States.

42 Eggs and egg dishes can be a source of food-borne diseases caused mainly by
43 *Salmonella Enteritidis* if improperly handled (EFSA, 2012). Egg consumers may also
44 be exposed to chemical hazards, including mycotoxins (aflatoxin M₁, ochratoxin A),
45 dioxins and dioxin-like polychlorinated biphenyls (PCBs), polycyclic aromatic
46 hydrocarbons (PAH), veterinary drugs and pesticides. While carry-over of mycotoxins,
47 PCBs, PAH and heavy metals from feed to eggs seems negligible, dioxins, as well as
48 pesticides, may be transferred from feed to eggs (Kan, 2007).

49 Pesticides are man-made chemicals and used for the treatment of many crops against
50 several diseases and pests, including fungi, insects, nematodes etc. International
51 organisations and many local authorities have set maximum residue levels (MRLs) for
52 pesticides in foods, and their use is carefully controlled. Nevertheless, there is still a risk
53 of pesticide residues occurring in foods and animal feeds. Pesticides and environmental
54 hazards can enter laying hens with the inhalation and contact with the skin, but the most
55 important way of transmission of residues to laying hens is via the feed, and they can
56 accumulate in the muscle, liver and fatty tissue of animals as well as in eggs (Song et al.,
57 2019).

58 On 30 May 2002, The Netherlands transmitted a Rapid Alert System for Food and
59 Feed (RASFF) information notification concerning nitrofen in organic eggs from
60 Germany. Shortly after, Germany notified an increase of cases related to nitrofen in
61 organic eggs (0.07–0.115 mg/kg) and prohibited substance
62 dichlorodiphenyltrichloroethane (DDT) in eggs (0.379–0.567 mg/kg). More recently, on
63 20 July 2017, Belgium launched a RASFF alert notification concerning fipronil
64 pesticide in eggs (0.003–1.2 mg/kg). Millions of eggs have been recalled from shops
65 and warehouses in Belgium, The Netherlands and Germany in the following weeks.
66 After this first notification on fipronil, there were 110 notifications on fipronil in eggs
67 (0.008–1.9 mg/kg) originating from various European countries, mainly Italy (58.2%)
68 and Poland (16.4%), by the end of 2019.

69 Following the fipronil egg contamination incident in Belgium, the incidence of
70 pesticide residues in hen eggs has received great attention. While several studies have
71 been performed over the last decade to detect fipronil in eggs (Anagnostopoulos et al.,
72 2019; Guo et al., 2018; Hatta et al., 2019; Li et al., 2019; Tu et al., 2019; Zhang et al.,
73 2016), there is limited data on multi-class residues of pesticides in hen eggs (Akgün et
74 al., 2020; Lichtmannegger et al., 2015; Song et al., 2019).

75 The goal of the present study was to develop and validate a multi-residue analytical
76 method using quick, easy, cheap, effective, rugged and safe (QuEChERS) methodology
77 in combination with liquid chromatography-tandem mass spectrometry (LC-MS/MS)
78 and gas chromatography-tandem mass spectrometry (GC-MS/MS) to identify and
79 quantify pesticide residues in hen eggs. In this study, we intended to cover 365 GC-
80 amenable and 142 LC-amenable pesticide residues, including fipronil due to their
81 presence in the EU active substance list, and in the list of banned or EU and Turkey

82 MRLs for eggs. Furthermore, the validated method was applied to monitor 100 real
83 eggs consumed in Turkey.

84

85 **Materials and methods**

86 **Chemicals and materials**

87 LC-MS grade acetonitrile (MeCN), methanol (MeOH) and formic acid (CH_2O_2)
88 were acquired from Sigma-Aldrich (Steinheim, Germany). Glacial acetic acid
89 (CH_3COOH) and ammonium formate (HCOONH_4) were from Merck (Darmstadt,
90 Germany). Ultrapure water ($18.2 \text{ M}\Omega$) was obtained using a Milli Q purification system
91 (Millipore, Molsheim, France). Anhydrous magnesium sulphate (MgSO_4) (Sigma-
92 Aldrich), anhydrous sodium acetate ($\text{C}_2\text{H}_3\text{NaO}_2$) (Merck) and primary-secondary amine
93 (PSA, 40 μm particle size) (Supelco, Bellefonte, PA, USA) were analytical purity.
94 Bondesil C18 bulk sorbent (50 μm particle size) was from Agilent Technologies
95 (California, USA).

96 Certified standards of 507 pesticides were from Dr. Ehrenstorfer (Augsburg,
97 Germany), ChemService (West Chester, PA, USA), Sigma-Aldrich (Steinheim,
98 Germany) and A2S Analytical Standard Solutions Co. (Saint Jean d'Illac, France). The
99 purity of standards was $\geq 92\%$. Four stock solutions for GC-amenable pesticides and
100 five stock solutions for LC-amenable pesticides were prepared at 10 mg/L in
101 acetonitrile (or methanol/acetonitrile (50:50, v/v), depending on the analytes' solubility)
102 to cover all target analytes. These nine multi-standard mixture solutions were used for
103 the preparation of matrix-matched calibration standards (1–100 $\mu\text{g}/\text{kg}$ for LC-amenable
104 and 2–250 $\mu\text{g}/\text{kg}$ for LC-amenable analytes) and validation study.

105

106 **Samples**

107 A hundred egg packages (containing six medium (\geq 53 - <63 g) class A eggs from
108 caged hens) were purchased from retail stores and supermarkets in Corum, Turkey. The
109 shell of each six eggs was crushed, and whole eggs (egg yolk and egg white) were
110 poured into an appropriate container. The whole eggs were homogenised with an ultra-
111 turrax basic homogeniser (WiseTis® HG-15A, Witeg Labortechnik GmbH, Wertheim,
112 Germany) for 1 min at about 5000 rpm. An aliquot of about 40 mL homogenate egg
113 solution was then poured into three 50 mL polypropylene centrifuge tubes and stored
114 frozen at -18°C until analysis.

115

116 **Sample preparation**

117 The sample preparation was based on the QuEChERS extraction procedure
118 according to AOAC Official Method (AOAC, 2007), with slight modifications. For the
119 validation experiment, portions of 15 g of the blank egg materials were put into 50 mL
120 polypropylene centrifuge tubes. Then the blank egg materials were fortified with multi-
121 pesticides standard solutions. For recovery, the target mass fractions of pesticides were
122 set to 10 and 50 μ g/kg. The QuEChERS extraction and clean-up procedures were
123 summarised in Fig.1. For the quantification of target analytes in hen eggs, blank
124 samples of homogenised eggs were fortified with multi-standard solutions, resulting in a
125 7-point set of matrix-matched calibration samples.

126

127 **LC-MS/MS conditions**

128 Chromatographic separation of pesticide residues was conducted by a Waters
129 Acquity UPLC I-Class system (Waters, Milford, MA, USA), with BEH C18 reversed-
130 phase analytical column (100 x 2.1 mm, 1.7 μ m) (Waters), integrated with a Fusion-RP
131 guard column (4 x 2.0 mm, 4 μ m) from Phenomenex (Torrance, CA, USA), at 50°C,

132 and analyte determination was achieved with a Xevo TQD tandem quadrupole tandem
133 mass spectrometer equipped with electrospray ionisation (ESI) interface source (Waters,
134 Milford, MA, USA). The mobile phase was: (A) 95/5 (v/v) water/methanol, (B) 5/95
135 (v/v) water/methanol, both solutions containing 2 mM ammonium formate and 0.1%
136 formic acid. The elution was started at 25% solvent B and held for 0.5 min, then
137 increased B to 98% in 10 min, and kept at 98% for 1.5 min. Finally, the column was
138 equilibrated at the initial condition for 2 min at a flow rate of 0.45 mL/min. The
139 injection volume was 1 µL. Positive electrospray ionisation (ESI+) mode was used for
140 the analysis of 365 LC-amenable pesticide residues. Instrument control, data acquisition
141 and data processing were performed by Waters MassLynx™ (version 4.1) software.
142 Two specific multiple reaction monitoring (MRM) transitions of the studied residues
143 are shown in Table S1.

144

145 **GC-MS/MS conditions**

146 GCMS-TQ8050 triple quadrupole GC/MS (Shimadzu, Japan) with split/splitless
147 injector was used for the analysis of 142 pesticide residues. The residues were separated
148 on a Rxi-5 Sil MS (30 m x 0.25 mm I.D. x 0.25 µm) from Restek. The column was set
149 at a linear velocity of 50 mL min⁻¹ using helium (ultra-high purity) as a carrier gas. The
150 initial column temperature was maintained at 40°C for 1 min, programmed at 40°C min⁻¹
151 to 120°C, then programmed at 5°C min⁻¹ to 240°C, followed by 12°C/min to 280°C,
152 holding for 6 min. The total run time was 36 min. The MS transfer line and ion source
153 temperatures were set at 280°C and 200°C, respectively. In a splitless injection mode, a
154 2 µL of sample extract was injected with a splitless time of 1.5 min at a constant
155 injection temperature of 250°C. MS analysis was performed using electron ionisation
156 (EI) mode. LabSolutions Insight™ software was used for (quantitative analysis of

157 multi-analyte data) instrument control and data acquisition. For each target analytes,
158 two MRM transitions were analysed, and the collision energy was optimised. The MRM
159 transitions for 142 target analytes are listed in Table S2.

160

161 **Method validation**

162 The performance characteristics of the analytical method have been in-house
163 validated according to the European SANTE/11813/2017 Guideline (European
164 Commission 2017). The following parameters were assessed in the validation study:
165 specificity, linearity, limit of quantification (LOQ), accuracy, precision and
166 measurement uncertainty. For the quantification of target analytes in hen eggs, locally
167 purchased egg samples were used as a matrix. Egg samples were extracted as per the
168 flowchart shown in Fig 1 to prepare the matrix blank. These blank egg extracts were
169 spiked with multi-standard solutions, resulting in a 7-point set of matrix-matched
170 calibration samples. The matrix-matched calibration standards were prepared at 1, 2, 5,
171 10, 25, 50 and 100 µg/kg for LC-amenable pesticides, and at 2, 5, 10, 25, 50, 100 and
172 250 µg/kg for GC-amenable pesticides. After the multi-point calibration, LOQ,
173 accuracy and precision were measured by fortified experiments using blank eggs
174 matrices. LOQ was estimated via the standard deviation of blank egg samples fortified
175 to a suitable low level of targeted pesticides that can be quantified with acceptable
176 accuracy (70–120%) and precision (relative standard deviations (RSD)% ≤20) as
177 described in SANTE/11813/2017 Guideline. The recovery and precision were
178 performed by the measurement of blank eggs matrices fortified at two concentration
179 levels of 10 and 50 µg/kg. The expanded measurement uncertainty (U') was measured
180 by multiplying combined uncertainty associated with within-laboratory reproducibility

181 and trueness (bias), with a coverage factor of $k = 2$, as described in detail previously
182 (Golge et al., 2018).

183 **Results and discussion**

184 This study included 507 pesticide residues, of which 365 were analysed by LC-
185 MS/MS, and 142 were analysed by GC-MS/MS. The instrumental MS/MS conditions
186 are listed in Tables S1 and S2 for LC-amenable and GC-amenable pesticides,
187 respectively.

188

189 **Method performance**

190 Specificity and linearity

191 The specificity of both LC-MS/MS and GC-MS/MS techniques was determined by
192 injecting representative blank samples of hen eggs ($n= 20$) at low spiking concentration
193 (10 µg/kg). For both LC-amenable and GC-amenable analytes, no chromatographic
194 interference was observed even at low spiking level and did not interfere with
195 quantitation.

196 Matrix matched calibration standards were generated using blank extracted hen eggs.
197 Matrix matched calibration curves were linear within the quantitation limits established
198 for each LC- and GC-amenable analytes, which was compound dependent but ranged
199 from as low as 1 µg/kg to 250 µg/kg, with R^2 values greater than 0.99 and residuals
200 were within 20%.

201

202 LOD and LOQ

203 The LODs and LOQs were determined based on data of the spiking experiment. The
204 LODs and LOQs of target analytes were determined by three and ten times the standard
205 deviation of replicate analyses ($n= 10$) of blank egg samples fortified at 10 µg/kg. The

206 LOQs for all target analytes are listed in Table S3. Overall, as summarised in Fig 2,
207 93.7% of residues either LC- or GC-amenable had satisfactory sensitivity in hen eggs
208 with LOQs of 1.4–10 µg/kg, while 6.3% of analytes had LOQ higher than 10 µg/kg. In
209 LC-MS/MS analysis, 42.7% of residues had LOQ lower than 5 µg/kg, 51.5% of
210 residues had LOQ values between 5 and 10 µg/kg, and only 5.8% of residues had LOQ
211 greater than 10 µg/kg. Imazalil showed the highest sensitivity resulting in LOQ= 1.4
212 µg/kg, while disulfoton pesticide had the lowest sensitivity with LOQ of 19.3 µg/kg in
213 hen eggs by LC-MS/MS. In GC-MS/MS analysis, LOQs were below than 5 µg/kg for
214 8.5% of residues, at between 5 and 10 µg/kg for 83.8% of residues, and higher than 10
215 µg/kg for 7.7% of pesticides. The highest LOQ obtained was 22.7 µg/kg for *o,p'*-DDT
216 pesticide, while chlorothalonil observed the lowest LOQ of 3.4 µg/kg in GC-amenable
217 compounds (Table S3). For fipronil, the determined LOQ (4.8 µg/kg) was lower than
218 both EU MRL of 5 µg/kg and national legislation of 15 µg/kg.

219

220 Recoveries and precision

221 Method recovery was assessed by spiking pesticides at two levels of 10 and 50 µg/kg
222 in hen eggs and comparing the response to that observed from matrix-matched
223 standards. Recoveries and precision (repeatability and within-laboratory
224 reproducibility, %RSDs) values for all compounds are presented in Table S3. Results
225 outside of the acceptance criteria are highlighted in bold. The overall recoveries
226 observed for 98.6% of LC-amenable pesticides and 95.1% of GC-amenable pesticides
227 were in the range of 70% to 120%, while 0.5–2.1% and 0.8–2.8% of LC- and GC-
228 amenable analytes showed recoveries <70% and >120%, respectively. With GC-
229 MS/MS, three pesticides, namely, chlordane (*cis*-), chlordane (*trans*-) and oxyfluorfen
230 had recoveries lower than 70%, whereas four GC-amenable pesticides with average

231 recoveries of >120% were, butylate, cycolate, dinobuton and endosulfan (*alpha*). In LC-
232 MS/MS, two pesticides (bromoxynil and imazapyr) showed low recoveries (<70%),
233 whereas three GC-amenable pesticides (famoxadone, profoxydim and thiobencarb) had
234 recoveries in excess of 120%.

235 The results show that %RSD under repeatability conditions were less than 20% for
236 97.5–98.9% of LC-amenable and 93.7–97.9% of GC-amenable target analytes,
237 depending on the spiking level. The %RSD under reproducibility conditions <20% were
238 observed for 94.8–97.5% of LC-amenable and 91.5–95.1% of GC-amenable pesticides
239 (Fig. 3), depending on the spiking level, which indicates that high analytical precision
240 was achieved when analysing multi-residue pesticides simultaneously. The RSDs were
241 showed more variability at a low spiking level of 10 µg/kg. The maximum RSD value
242 of 29.77% and 28.91% for the low spiking level were obtained for bitertanol and
243 bromoxynil by GC- and LC-MS/MS analysis, respectively.

244

245 Measurement uncertainty

246 As can be seen in Table S3, the measurement uncertainty calculated for 99.2% of
247 LC-amenable and 97.9% of GC-amenable analytes showed values below 50%. The
248 measurement uncertainty was higher than 50% for only three LC-amenable pesticides,
249 namely, bromoxynil (54.8%), imazapyr (51.7%) and thiobencarb (50.9%) and three GC-
250 amenable pesticides, namely, captan (52.0%), chlordane (*trans*-) (53.1%) and cycloate
251 (51.5%). Therefore, a default expanded MU can be used for the interpretation of results
252 based on the SANTE/11813/2017 guidelines.

253 The method validation data of the present study was also compared with the previous
254 studies for the analysis of pesticide residues in hen eggs and chicken muscle. As can be
255 seen in Table 1, the LOQ, recovery and precision values obtained in the present study

256 are in good agreement with the previously reported studies. Method for analysis of
257 pesticides provides good recovery and detection of high protein foods. Similar findings
258 were also previously reported for chicken muscle (Weng et al., 2020).

259

260 **Application of the validated method to real samples**

261 To evaluate the applicability of the validated method, 100 egg samples collected
262 from retail stores and supermarkets in Turkey, were analysed for the presence of 507
263 multi-class pesticide residues. None of the target pesticides was detected above the
264 quantitation limit in all egg samples. These results are inconsistent with a previous
265 Turkish study by Akgün et al. (2020), who did not detect any of the 59 pesticide
266 residues in 35 egg samples. In Greece, only one of the 18 processed egg samples
267 contained fipronil at a level of 0.0067 mg/kg (Anagnostopoulos et al., 2019). In contrast
268 to our results, in Korea, Song et al. (2019) monitored 60 pesticides in hen eggs and
269 determined seven pesticides, namely disulfoton, fipronil sulfone, cyromazine, *o,p*-DDT,
270 *p,p*-DDD, *p,p*-DDT and permethrin in 27.6% (16/58) of egg samples at levels of 5–10
271 µg/kg. In 2017 in Brazil, Pereira et al. (2020) analysed only 13 samples for a total of 26
272 pesticide residues. While pirimiphos, mephosfolan and pyraclostrobin were detected in
273 a single different sample, spiroxamine was quantified in 62% of egg samples up to a
274 level of 8.3 µg/kg, but well below the EU MRL of 50 µg/kg. In a recent study by Luo et
275 al. (2020), 325 pesticides were monitored in 40 chicken egg samples from China, and 9
276 GC-amenable residues (benzenehexachloride (BHC)-*beta*, BHC-*gamma*, biphenyl,
277 chloroneb, *p,p'*-DDD, *p,p'*-DDE, *p,p'*-DDT, hexachlorobenzene and phenothrin) and
278 four LC-amenable residues (2,4,5-T, etoxazole, propetamphos and simazine) were
279 observed in egg samples. The maximum level of BHC-*gamma* in eggs exceeded the
280 national MRL of 100 µg/kg.

281

282 **Conclusions**

283 The analytical method was successfully validated for the determination of more than
284 500 pesticide residues in eggs. The limits of quantification achieved for most of the LC-
285 and GC-amenable pesticides analysed are well below the EU MRLs. While there are
286 some recoveries and RSD values slightly lower or higher than the values recommended
287 by the SANTE/11813/2017 Guideline, the results obtained are satisfactory (recoveries
288 70–120% and RSDs $\leq 20\%$) for 92.9% of LC-amenable and 86.6% of GC-amenable
289 pesticide residues. The validated method was applied to 100 eggs from caged hens, and
290 none of the target pesticide residues was detected above the quantitation limit. It can be
291 concluded that this method can be easily implemented in the analysis of high protein
292 foods for multi-residue pesticides in routine testing laboratories.

293

294 **Conflicts of interest**

295 The authors declare no competing and conflict of interest.

296

297 **References**

- 298 Akgün B, Hamzaoglu M, Tosunoğlu H, Demir S, Deniz A, Gökçay RZ. 2020. A survey
299 of 59 pesticide residues in Turkish chicken using LC-MS/MS. J Food Addit Contam
300 Part B 13:252–259.
- 301 Anagnostopoulos C, Ampadogiannis G, Bempelou E, Liapis K, Kastellanou E. 2019.
302 The 2017 fipronil egg contamination incident: the case of Greece. J Food Safety
303 e12727.

- 304 AOAC (Association of Official Analytical Chemists). 2007. Pesticide residues in foods
305 by acetonitrile extraction and partitioning with magnesium sulphate. AOAC Official
306 method 2007.01.
- 307 Charalampous AC, Liapis KS, Bempelou ED. 2019. Fipronil in eggs. Is LC-MS/MS the
308 only option? A comparison study of LC-MS/MS and GC-ECD for the analysis of
309 fipronil. *J Chromatogr B* 1129:121785.
- 310 European Commission. 2017. Guidance document on analytical quality control and
311 method validation procedures for pesticides residues and analysis in food and feed.
312 Document No. SANTE/11813/2017. EC Directorate-General for Health and Food
313 Safety.
- 314 EFSA (European Food Safety Authority). 2012. EU summary report on zoonoses,
315 zoonotic agents and food-borne outbreaks 2010. *EFSA J* 10:22–111.
- 316 FAO (Food and Agricultural Organization). 2018. FAO statistical databases and data
317 sets. [accessed 2020 August 25] Available from <http://faostat.fao.org>.
- 318 Hatta S, Odagawa Y, Izumi J, Nakamae S. 2019. Study on fipronil and other pesticide
319 residues in chicken eggs produced and sold in Japan. *Food Hyg Safety Sci* 60:154–
320 158.
- 321 Golge O, Kolumn A, Kabak B. 2018. Validation of a modified QuEChERS method for
322 the determination of 167 pesticides in milk and milk products by LC-MS/MS. *Food
323 Anal Methods* 11:1122–1148.
- 324 Guo Q, Zhao S, Zhang J, Qi K, Du Z, Shao B. 2018. Determination of fipronil and its
325 metabolites in chicken egg, muscle and cake by a modified QuEChERS method
326 coupled with LC-MS/MS. *Food Addit. Contam Part A* 35:1543–1552.

- 327 Guyonnet V. 2015. Strengths and weaknesses of functional eggs for human health. In
328 Handbook of eggs in human function. Watson RR, De Meester M (ed) pp:153–166.
329 Wageningen Academic Publishers, The Netherlands.
- 330 Hildmann F, Gottert C, Frenzel T, Kempe G, Speer K. 2015. Pesticide residues in
331 chicken eggs-A sample preparation methodology for analysis by gas and liquid
332 chromatography/tandem mass spectrometry. *J Chromatogr A* 1403:1–20.
- 333 Kan CA. 2007. Contaminants in eggs: effects of feed and environment. 12th European
334 Symposium on the quality of eggs and egg products of WPS, Prag, Czech Republic.
- 335 Lichtmannegger K, Fischer R, Steeman FX, Unterluggauer H, Masselter S. 2015.
336 Alternative QuEChERS-based molecular approach for pesticide residue analysis in
337 food of animal origin. *Anal Bioanal Chem* 407:3727–3742.
- 338 Li XJ, Li HM, Ma W, Guo Z, Li XQ, Song SJ, Tang H, Li XM, Zhang QH. 2019.
339 Development of precise GC-EI-MS method to determine the residual fipronil and its
340 metabolites in chicken egg. *Food Chem* 281:85–90.
- 341 Luo P, Liu X, Kong F, Tang L, Wang Q, Li W, Xu W, Wen S, Chen L, Li Y. 2020.
342 Multi-residue determination of 325 pesticides in chicken eggs with EMR-lipid clean-
343 up by UHPLC-MS/MS and GC-MS/MS. *Chromatographia* 83:593–599.
- 344 Pereira MU, Cândido FS, de Oliveira AC, de Mendonça RAF, Ferreira RG, Cardoso
345 MHWM, Bastos LHP, Spisso BF. 2020. A preliminary study of simultaneous
346 veterinary drug and pesticide residues in eggs produced in organic and cage-free
347 alternative systems using LC-MS/MS. *J Food Sci Technol* 57:1719–1730.
- 348 Song N-E, Lee JY, Mansur AR, Jang HW, Lim M-C, Lee Y, Yoo M, Nam TG. 2019.
349 Determination of 60 pesticides in hen eggs using the QuEChERS procedure followed
350 by LC-MS/MS and GC-MS/MS. *Food Chem* 298:125050.

351 Tu Q, Hickey ME, Yang T, Gao S, Zhang Q, Qu Y, Du X, Wang J, He L. 2019. A
352 simple and rapid method for detecting the pesticide fipronil on egg shells and in
353 liquid eggs by Raman microscopy. Food Control 96:16–21.

354 Weng R, Lou S, Pang X, Song Y, Su X, Xiao Z, Qiu J. Multi-residue analysis of 126
355 pesticides in chicken muscle by ultra-high-performance liquid chromatography
356 coupled to quadrupole time-of-flight mass spectrometry. Food Chem 309:125503.

357 Zhang M, Bian K, Zhou T, Song X, Liu Q, Meng C, He L. (2016). Determination of
358 residual fipronil in chicken egg and muscle by LC-MS/MS. J Chromatogr B
359 1014:31–36.

360

361


362

363 **Table 1. Comparison of the present study with previously reported methods for**
 364 **the determination of fipronil in hen eggs and chicken muscle.**
 365

Matrix	Spiking levels ($\mu\text{g kg}^{-1}$)	Recovery (%)	Precision	LOQ (μg	Reference
			(RSD%)	kg^{-1})	
Hen eggs	10 – 50	91.1 – 94.1	2.1 – 8.9	4.8	Current study
Hen eggs	2.5 – 100	71.6 – 99.1	5.0 – 14.4	2.5	Anagnostopoulos et al., 2019
Hen eggs	2.5 – 50	74.2 – 112.0	4.4 – 12.4	2.5	Charalampous et al., 2019
Hen eggs	5 – 100	88.8 – 93.8	1.6 – 4.3	2.0	Song et al., 2019
Hen eggs	2 – 40	92.8 – 107.0	1.6 – 2.2	1.0	Guo et al., 2018
Hen eggs	5 – 50	78.0 – 88.0	4.0 – 5.0	5.0	Hildmann et al., 2015
Hen eggs	0.01 – 1	79.7 – 90.5	0.8 – 6.1	-	Zhang et al., 2014
Chicken muscle	0.01 – 1	81.3 – 95.7	1.9 – 8.8	-	Zhang et al., 2014

366
 367
 368
 369
 370

371
 372
 373
 374



375

376 **Fig 1. Flow chart of the extraction method**

377

378

379

380


381

382

383

384

385



386

387 **Fig 2. Distribution of 365 LC-amenable and 142 GC-amenable residues' LOQs**

388

389

390

391

392

393

394

395

396

397

398

399

400

401


402

403

404

405

406



407

408 **Fig 3. Distribution of 365 LC-amenable and 142 GC-amenable residues' RSDs**

409

410

411

412

413

414

Supplementary material

415

416 **Validation of determination for pesticides including fipronil in hen eggs by LC-**

417 **MS/MS and GC/MS/MS**

418

419

ACCEPTED

Table S1. LC-MS/MS instrumental conditions for 365 target analytes.

	Pesticide	Pesticide type ^a	t _R , min	Precursor ion, m/z	MRM transitions 1; 2, m/z	Collision energy fragment 1; 2, eV
1	2,4-D	HB/PG	2.52	219.2	125.0; 161.0	27; 15
2	Acephate	IN	0.81	184.1	125.1; 143.0	18; 8
3	Acetamiprid	IN	1.91	223.0	56.1; 126.0	15; 20
4	Acibenzolar-S-methyl	PA	5.96	210.9	69.0; 135.9	52; 30
5	Acitidone	FU	3.35	282.1	246.1; 264.1	14; 11
6	Aldicarb	NE/IN/AC	3.00	208.2	89.1; 116.1	19; 8
7	Aldicarb-sulfone	NE/IN/AC	0.83	223.0	86.0; 148.0	14; 10
8	Aldicarb-sulfoxide	NE/IN/AC	0.79	207.0	89.0; 132.0	14; 10
9	Allethrin	IN	9.10	303.4	93.2; 135.2	13; 12
10	Alloxydim	HB	3.56	324.6	178.4; 234.4	22; 15
11	Ametryn	HB	6.10	228.1	68.1; 186.1	36; 18
12	Amidosulfuron	HB	1.20	370.0	218.0; 261.0	25; 15
13	Aminocarb	IN	3.60	209.0	137.0; 152.0	22; 14
14	Amisulbrom	FU	8.54	466.0	148.0; 227.0	49; 25
15	Amitraz	AC/IN	9.74	294.4	163.2; 253.3	14; 12
16	Anilofos	HB	7.95	367.9	124.9; 198.9	34; 15
17	Aramite	IN	8.94	352.5	191.4; 255.3	12; 8
18	Asulam	HB	0.69	230.9	92.0; 155.9	22; 12
19	Atrazine	HB	4.80	216.1	96.1; 174.1	23; 18
20	Atrazine-desethyl	HB	2.21	188.0	78.9; 146.0	26; 16
21	Atrazine-desisopropyl	HB	4.92	174.0	78.9; 96.0	18; 18
22	Azaconazole	IN/FU	5.14	300.0	159.0; 231.1	28; 18
23	Azamethiphos	IN	3.46	325.0	111.9; 138.9	35; 24
24	Azimsulfuron	HB	1.53	425.0	139.1; 182.0	40; 20
25	Azinphos-methyl	IN/AC	5.49	317.9	131.9; 159.9	15; 6
26	Aziprotryne	HB	6.05	226.0	68.0; 156.0	30; 16
27	Azoxystrobin	FU	6.02	404.0	329.0; 372.0	30; 15
28	Beflubutamid	HB	7.59	356.5	91.2; 221.3	18; 19
29	Bendiocarb	IN	3.76	224.1	109.0; 167.0	18; 8
30	Benfuracarb	IN/NE	8.63	410.9	190.0; 195.0	13; 23
31	Benodanil	FU	4.75	324.0	76.1; 231.1	58; 22
32	Bensulfuron-methyl	HB	5.08	410.8	149.0; 182.0	22; 20
33	Bensulide	HB	7.45	398.0	157.9; 313.9	24; 10
34	Benthiavalicarb-isopropyl	FU	6.84	382.4	116.3; 180.2	30; 37
35	Benzoximate	AC	7.93	364.2	105.2; 199.2	25; 8
36	Benzthiazuron	HB	3.68	208.0	109.0; 151.0	36; 16
37	Bifenazate	AC	6.84	301.1	170.0; 198.0	20; 10
38	Boscalid	FU	6.21	342.9	139.9; 307.0	20; 20
39	Bromacil	HB	3.71	261.0	187.9; 204.9	28; 14
40	Bromoxynil	HB	1.87	275.8	78.7; 80.6	17; 17
41	Bromoconazole	FU	6.64	376.0	70.1; 158.9	25; 35
42	Bupirimate	FU	7.25	317.0	125.0; 108.0	36; 28
43	Buprofezin	AC/IN	8.90	306.1	57.4; 201.0	20; 12
44	Butachlor	HB	9.08	312.2	57.3; 238.2	22; 12
45	Butafenacil	HB	7.30	492.6	180.0; 331.0	38; 18
46	Butocarboxim-sulfoxide	IN	0.75	207.3	88.1; 132.2	9; 7
47	Butoxycarboxym	IN/AC	0.89	223.0	106.0; 166.0	10; 7
48	Buturon	HB	5.07	237.1	84.1; 126.0	16; 30
49	Cadusafos	IN/NE	8.16	271.1	131.0; 159.0	22; 16
50	Carbaryl	IN/PG	4.19	202.0	117.0; 145.0	28; 22
51	Carbendazim	FU	2.22	192.1	132.1; 160.1	28; 18
52	Carbetamide	HB	3.37	237.0	118.0; 192.0	14; 9
53	Carbofuran	IN/NE/AC	3.84	222.1	123.0; 165.1	16; 16
54	Carbofuran-3-OH	IN/NE/AC	1.95	238.0	163.0; 181.0	16; 10

55	Carbofuran-3-keto	IN/NE/AC	2.87	236.2	161.1; 179.1	18; 12
56	Carboxin	FU	4.01	236.0	87.0; 143.0	22; 16
57	Carpropamide	FU	7.61	334.0	103.0; 138.9	40; 18
58	Chlorbromuron	HB	6.05	292.9	182.0; 203.9	16; 18
59	Chlorfluazuron	IN	10.13	539.8	158.0; 382.9	20; 20
60	Chloridazon	HB	1.93	222.0	77.0; 92.0	30; 30
61	Chlormequat chloride	PG	0.77	122.1	58.2; 59.2	19; 20
62	Chlorotoluron	HB	4.63	213.4	46.2; 72.2	16; 18
63	Chloroxuron	HB	6.90	291.1	72.0; 164.1	25; 15
64	Chlorsulfuron	HB	1.64	358.0	141.0; 167.0	16; 18
65	Chlorthiamid	HB	2.23	206.1	154.1; 189.2	33; 17
66	Cinidon-ethyl	HB	8.87	394.0	107.0; 348.0	28; 18
67	Cinosulfuron	HB	1.96	414.0	157.0; 183.0	24; 16
68	Clethodim	HB	5.21	360.0	164.0; 268.1	18; 12
69	Climbazole	FU	6.85	293.0	141.0; 197.0	22; 16
70	Clodinafop-propargyl	HB	7.40	350.0	91.0; 266.0	32; 16
71	Clofentezine	AC	7.81	303.0	102.0; 138.0	35; 22
72	Clomazone	HB	5.85	240.0	89.0; 125.0	46; 18
73	Cloquintocet mexyl	SA	9.03	336.1	192.0; 238.0	30; 16
74	Clothianidin	IN	1.55	250.0	132.0; 169.0	18; 12
75	Coumachlor	RO	4.55	343.0	163.0; 285.0	14; 16
76	Coumaphos	IN	7.60	363.0	289.0; 307.0	24; 16
77	Cyanazine	HB	3.37	241.0	96.0; 214.0	25; 17
78	Cyazofamid	FU	7.12	325.0	107.9; 261.0	20; 10
79	Cyclanilide	PG	4.35	272.1	160.0; 228.0	23; 12
80	Cyclosulfamuron	HB	5.39	422.1	199.0; 261.0	12; 15
81	Cycloxydim	HB	6.30	326.0	180.0; 280.0	22; 16
82	Cycluron	HB	5.30	199.0	69.2; 89.1	22; 14
83	Cyflufenamid	FU	8.05	413.2	203.0; 295.1	35; 15
84	Cymoxanil	FU	2.17	199.0	111.0; 128.0	18; 8
85	Cyproconazole	FU	6.64	292.2	70.2; 125.1	18; 24
86	Cyprodinil	FU	7.39	226.0	93.0; 108.0	33; 25
87	Dazomet	NE/FU/HB	0.97	162.9	89.8; 119.9	9; 14
88	Deltamethrin	IN	10.07	505.9	93.2; 280.9	46; 12
89	Demeton-S-methyl	IN/AC	4.04	231.1	61.2; 89.1	30; 10
90	Demeton-S-methyl-sulfone	IN/AC	1.05	263.0	121.0; 169.0	17; 17
91	Demeton-S-methyl-sulfoxide	IN/AC	0.98	247.0	109.0; 169.0	25; 14
92	Desmedipham	HB	5.36	301.0	136.0; 168.0	22; 10
93	Desmetryn	HB	4.80	214.1	82.1; 172.1	30; 20
94	Diafenthiuron	IN/AC	9.68	385.4	278.3; 329.3	33; 19
95	Dialifos	IN/AC	8.19	394.0	187.0; 208.0	8; 16
96	Di-allate	HB	8.39	270.1	86.1; 128.1	15; 11
97	Dichlofenthion	IN	8.89	315.3	259.2; 287.2	14; 11
98	Dichlofluanid	FU	7.26	333.0	123.0; 224.0	24; 10
99	Dichlorvos	IN/AC	3.63	221.0	79.0; 109.0	34; 22
100	Diclobutrazol	FU	7.54	328.0	70.0; 158.9	20; 38
101	Dicrotophos	IN/AC	1.39	238.0	112; 193	10; 10
102	Diethofencarb	FU	5.86	268.0	124.0; 226.0	40; 10
103	Difenoconazole	FU	8.38	406.0	111.1; 251.1	60; 25
104	Diflubenzuron	IN	7.08	309.0	155.9; 289.0	11; 10
105	Dimefox	IN	1.53	155.0	109.9; 135.0	18; 17
106	Dimefuron	HB	5.81	339.0	72.0; 166.9	26; 20
107	Dimepiperate	HB	8.37	264.1	119.0; 146.0	16; 10
108	Dimethachlor	HB	5.92	256.2	148.2; 224.2	25; 15
109	Dimethenamid	HB	6.04	276.0	168.0; 244.0	26; 14
110	Dimethoate	IN/AC	1.85	230.1	125.0; 199.0	20; 10

111	Dimethomorph	FU	6.49	388.1	165.0; 300.9	30; 20
112	Dimetilan	IN	2.23	241.1	72.2; 196.1	16; 10
113	Dimoxystrobin	FU	7.55	327.1	116.1; 205.2	21; 10
114	Dinocap	FU/AC	7.61	295.1	209.0; 193.4	31; 28
115	Dioxacarb	IN	4.11	224.1	123.1; 167.1	16; 8
116	Disulfoton	IN	10.12	274.9	61.1; 89.0	35; 20
117	Disulfoton sulfone	IN	5.00	307.1	97.1; 153.1	28; 12
118	Disulfoton sulfoxide	IN	4.70	291.0	97.0; 185.0	31; 14
119	Ditalimfos	FU	6.97	300.1	130.1; 148.1	34; 20
120	Dithiopyr	HB	8.55	402.0	248.1; 354.1	34; 18
121	Diuron	HB	4.94	233.0	46.3; 72.1	14; 18
122	Dodemorph	FU	9.79	282.1	98.0; 116.0	28; 21
123	Dodine	FU	8.28	228.0	57.1; 60.1	23; 23
124	Edifenphos	FU	7.70	311.0	109.0; 111.0	32; 26
125	Emamectin benzoate B1a	IN	9.85	887.0	82.0; 158.0	70; 33
126	EPN	IN/AC	8.12	324.0	157.0; 296.0	25; 14
127	Epoxiconazole	FU	6.92	330.0	101.0; 121.0	50; 22
128	Eprocarb	HB	8.84	266.1	71.0; 91.0	16; 22
129	Ethiofencarb	IN	4.47	226.1	107.0; 164.0	17; 8
130	Ethiofencarb-sulfone	IN	1.88	258.0	107.0; 201.1	18; 5
131	Ethiofencarb-sulfoxide	IN	1.60	242.1	107.1; 185.1	18; 8
132	Ethiprole	IN	8.95	414.1	350.9; 396.9	25; 9
133	Ethirimol	FU	5.13	210.1	140.0; 93.0	22; 31
134	Ethofumesate	HB	5.88	287.1	121.1; 259.1	15; 10
135	Ethoxyquin	PG	8.03	218.2	148.1; 160.1	22; 32
136	Etofenprox	IN	10.43	394.3	106.9; 177.0	43; 15
137	Etoxazole	IN	9.41	360.5	141.2; 177.3	28; 20
138	Famoxadone	FU	7.80	392.2	238.0; 331.1	20; 10
139	Famphur	IN	5.09	326.0	93.0; 217.0	31; 20
140	Fenamidone	FU	6.14	312.1	92.0; 236.1	25; 14
141	Fenamiphos-sulfone	NE	4.22	336.1	188.2; 266.1	28; 20
142	Fenamiphos-sulfoxide	NE	5.09	320.1	108.0; 171.1	35; 22
143	Fenarimol	FU	6.93	331.0	81.0; 268.0	34; 22
144	Fenazaquin	AC	9.79	307.2	57.2; 161.0	25; 19
145	Fenbuconazole	FU	7.16	337.0	70.1; 125.0	20; 36
146	Fenbutatin oxide	AC	11.20	519.2	91.1; 197.0	55; 57
147	Fenchlorazole-ethyl	SA	8.06	403.9	358.0; 376.0	20; 13
148	Fenfuram	FU	4.02	202.1	83.1; 109.0	14; 20
149	Fenhexamid	FU	6.84	302.1	55.3; 97.2	38; 22
150	Fenoxyanil	FU	7.73	329.0	86.0; 302.1	20; 10
151	Fenoxyprop-P-ethyl	HB	8.58	362.1	121.0; 287.9	27; 18
152	Fenoxy carb	IN	7.28	302.1	88.0; 116.1	20; 11
153	Fenpiclonil	FU	5.63	236.9	140.0; 202.0	38; 20
154	Fenpropidin	IN/AC	9.55	350.1	97.0; 125.0	34; 14
155	Fenpropidin	FU	6.85	274.2	86.1; 147.1	28; 28
156	Fenpropimorph	FU	10.33	304.4	130.3; 147.2	25; 29
157	Fenpyroximate	AC	9.56	422.2	138.1; 366.1	32; 15
158	Fensulfothion	IN/NE	5.35	309.0	157.1; 173.1	25; 22
159	Fenthion	IN	7.42	279.1	169.1; 247.1	16; 13
160	Fenthion-sulfone	IN	3.85	311.2	125.1; 139.1	19; 29
161	Fenthion-sulfoxide	IN	4.38	295.0	109.0; 280	32; 18
162	Fenuron	HB	1.84	165.0	71.9; 119.8	16; 15
163	Flamprop-M	HB	7.85	364.5	77.2; 105.2	49; 19
164	Florasulam	HB	2.07	360.0	108.9; 129.0	50; 22
165	Fluazinam	FU	8.85	463.0	398.0; 415.9	20; 19
166	Flucycloxuron	AC	9.38	484.0	132.1; 289.1	40; 12
167	Fludioxonil	FU	6.45	247.0	126.0; 180.0	35; 28
168	Flufenacet	HB	6.95	364.0	152.1; 194.1	20; 11

169	Flufenoxuron	IN	9.48	489.1	141.0; 158.0	46; 22
170	Fluometuron	HB	4.98	233.2	46.4; 72.2	18; 18
171	Fluoxastrobin	FU	6.95	459	188.0; 427.0	36; 18
172	Fluquinconazole	FU	6.76	376.0	306.9; 348.8	30; 18
173	Fluridone	HB	5.67	330.1	259.2; 310.2	40; 30
174	Fluroxypyrr	HB	9.62	254.9	180.9; 208.8	22; 16
175	Fluroxypyrr-methyl	HB	9.17	367.0	181.0; 254.9	32; 11
176	Flurtamone	HB	5.97	334.0	178.0; 247.0	45; 27
177	Fluthiacet-methyl	HE	7.50	404.3	344.3; 404.3	21; 7
178	Flutolanil	FU	6.68	324.1	65.0; 262.1	40; 18
179	Flutriafol	FU	4.97	302.1	70.2; 123.1	18; 29
180	Fonofos	IN	7.44	247.1	109.0; 137.0	20; 10
181	Foramsulfuron	HB	2.20	453.0	182.0; 272.0	22; 14
182	Formetanete hydrochloride	IN/AC	1.09	222.0	46.0; 165.0	26; 15
183	Fosthiazate	NE	4.90	284.0	104.0; 228.0	22; 10
184	Fuberidazole	FU	3.19	185.0	156.0; 157.0	27; 22
185	Furathiocarb	IN	8.72	383.2	194.9; 252.0	18; 12
186	Furmecyclo	FU	7.62	252.2	110.1; 170.1	22; 14
187	Halosulfuron-methyl	HB	3.00	435.1	83.0; 182.1	40; 20
188	Haloxyfop	HB	8.74	434.0	91.0; 316.0	34; 20
189	Haloxyfop-P-methyl	HB	8.68	376.0	288.0; 316.0	25; 15
190	Heptenophos	IN	5.27	251.0	125.0; 127.0	14; 14
191	Hexaconazole	FU	7.82	314.0	70.1; 159.0	22; 28
192	Hexaflumuron	IN	8.44	459.0	276.0; 439.0	19; 12
193	Hexazinone	HB	3.84	253.1	71.0; 171.1	30; 16
194	Hexythiazox	AC/IN	9.13	353.0	168.1; 228.1	26; 14
195	Imazalil	FU	7.45	297.0	69.0; 159.0	22; 22
196	Imazapyr	HB	0.81	262.0	174.0; 217.1	26; 17
197	Imazethapyr	HB/PG	1.25	290.3	86.2; 177.2	24; 27
198	Imidacloprid	IN	1.51	256.1	175.1; 209.1	20; 15
199	Indoxacarb	IN	8.41	528.0	150.0; 203.0	22; 40
200	Iodosulfuron-methyl	HB	2.77	508.1	141.1; 167.1	25; 25
201	Ioxynil	HB	2.33	369.8	127.1; 215.1	31; 30
202	Iprobenfos	FU	7.40	289.0	91.0; 205.0	20; 10
203	Iprovalicarb	FU	6.71	321.1	119.1; 203.1	16; 10
204	Isocarbophos	AC/IN	6.39	291.1	121.1; 231.1	30; 13
205	Isoprocarb	IN	4.84	194.1	95.1; 137.1	14; 8
206	Isoprothiolane	FU	6.59	291.1	188.8; 230.9	22; 12
207	Isoproturon	HB	4.96	207.3	72.2; 165.3	19; 14
208	Isoxaben	HB	6.58	333.1	107.1; 165.1	58; 18
209	Isoxaflutole	HB	5.03	360.0	219.9; 250.9	40; 14
210	Isoxathion	IN	7.93	314.1	96.9; 104.9	35; 14
211	Karbutilate	HB	3.86	297.1	181.0; 280.0	15; 7
212	Lenacil	HB	4.84	235.2	136.1; 153.1	32; 16
213	Linuron	HB	5.68	249.1	160.1; 181.1	18; 16
214	Lufenuron	IN	9.08	509.2	175.0; 326.1	40; 22
215	Malaoxon	IN/AC	4.05	315.0	98.9; 127.0	24; 12
216	Malathion	IN/AC	6.30	331.0	99.0; 127.0	24; 12
217	Mecarbam	IN/AC	6.78	330.0	97.0; 227.1	35; 8
218	Mefenacet	HB	6.83	299.0	120.0; 148.0	25; 15
219	Mepanipyrim	FU	6.56	224.1	77.0; 106.0	40; 25
220	Mephosfolan	IN	3.71	270.1	75.1; 140.0	22; 24
221	Mepronil	FU	2.69	270.1	91.0; 119.0	44; 28
222	Metalaxy-M	FU	5.20	280.3	192.4; 220.4	19; 14
223	Metamitron	HB	1.78	203.1	104.0; 175.1	22; 16
224	Metconazole	FU/PG	7.96	320.1	70.0; 125.0	22; 36
225	Methabenzthiazuron	HB	4.86	222.0	150.0; 165.0	32; 16

226	Methacrifos	IN	5.34	241.1	125.0; 209.1	20; 8
227	Methamidophos	IN/AC	0.93	142.0	93.9; 124.9	13; 13
228	Methiocarb	IN	6.01	226.0	121.0; 169.0	22; 10
229	Methiocarb-sulfone	IN	2.21	258.1	107.1; 122.1	38; 19
230	Methiocarb-sulfoxide	IN	1.80	242.0	122.0; 185.0	28; 14
231	Methomyl	IN	1.04	162.9	87.9; 105.9	9; 10
232	Methoprene	IN	6.35	311.2	170.2; 198.2	28; 22
233	Methoxyfenozide	IN	6.62	369.1	149.1; 313.2	18; 8
234	Metobromuron	HB	4.84	259.1	148.1; 170.0	15; 20
235	Metolcarb	IN	3.27	166.0	94.1; 109.0	27; 12
236	Metosulam	HB	3.22	418.2	140.2; 175.2	54; 23
237	Metoxuron	HB	2.83	229.0	72.0; 155.9	18; 25
238	Metrafenone	FU	8.06	409.0	209.1; 226.9	14; 16
239	Metribuzin	HB	3.63	215.0	89.0; 131.0	20; 18
240	Mevinphos	IN/AC	2.35	225.1	127.1; 193.1	15; 8
241	Monocrotophos	AC/IN	1.15	224.1	98.1; 127.1	12; 16
242	Monolinuron	HB	4.28	215.0	99.0; 126.0	34; 22
243	Monuron	HB	3.37	199.1	72.2; 126.0	16; 25
244	Myclobutanil	FU	6.56	289.1	70.2; 125.1	18; 32
245	N-(2,4-Dimethylphenyl) formamide	IN/AC	3.21	150.0	105.0; 132.0	20; 12
246	N-(2,4Dimethylphenyl)- N-methylformamide	IN/AC	1.98	163.0	107.0; 132.0	24; 16
247	Napropamide	HB	6.93	272.1	129.1; 171.1	16; 18
248	Neburon	HB	7.27	275.0	57.0; 88.0	24; 16
249	Nicosulfuron	HB	0.95	411.0	106.0; 182.0	32; 22
250	Nitenpyram	IN	0.78	271.1	125.9; 224.9	25; 12
251	Nitralin	HB	7.33	346.1	262.1; 304.1	20; 16
252	Nuarimol	FU	5.98	315.0	81.1; 252.0	28; 22
253	Ofurace	FU	4.04	282.0	160.0; 254.0	24; 12
254	Omethoate	IN/AC	0.73	214.1	125.1; 183.1	22; 11
255	Oxadiazon	HB	9.01	362.4	220.2; 303.2	24; 16
256	Oxadixyl	FU	3.28	279.0	132.0; 219.0	34; 10
257	Oxamyl	IN/NE	0.91	237.0	72.0; 90.0	10; 10
258	Oxasulfuron	HB	2.22	407.0	107.1; 150.1	50; 20
259	Oxycarboxin	FU	2.39	268.1	146.9; 174.8	25; 16
260	Paclobutrazol	PG	6.40	294.1	70.2; 125.1	20; 38
261	Paraoxon-ethyl	IN	4.81	276.4	174.3; 220.3	25; 14
262	Paraoxon-methyl	IN	2.97	248.0	90.0; 202.0	25; 19
263	Penconazole	FU	7.48	284.0	70.1; 159.0	16; 34
264	Pencycuron	FU	8.04	329.1	125.0; 125.1	40; 22
265	Pendimethalin	HB	9.07	282.2	194.1; 212.2	17; 10
266	Phenmedipham	HB	5.55	301.0	136.0; 168.0	22; 10
267	Phentoate	IN	7.31	321.0	135.0; 163.0	20; 12
268	Phorate	IN	7.72	261.0	74.9; 170.9	8; 12
269	Phorate-sulfone	IN	4.82	293.0	96.9; 115.0	30; 24
270	Phorate-sulfoxide	IN	4.61	277.0	96.9; 143.0	32; 20
271	Phosalone	IN/AC	7.92	367.9	110.9; 181.9	42; 14
272	Phosmet	IN	5.57	318.0	77.0; 160.0	46; 22
273	Phosphamidon	IN/AC	3.48	300.1	127.1; 174.1	25; 14
274	Phoxim	IN	7.93	299.0	129.0; 153.0	13; 7
275	Picolinafen	HB	8.98	377.0	238.0; 359.0	28; 21
276	Picoxytrobion	FU	7.59	368.0	145.1; 205.1	22; 10
277	Piperophos	HE	8.38	354.1	143.0; 171.0	32; 22
278	Pirimicarb	IN	4.76	239.1	72.0; 182.1	18; 15
279	Primsulfuron-methyl	HE	4.47	469.0	199.0; 254.0	20; 20
280	Prochloraz	FU	7.95	376.2	70.1; 308.1	34; 11
281	Profoxydim	HB	8.71	466.5	180.3; 280.3	26; 24

282	Promecarb	IN	6.29	208.1	109.0; 151.0	15; 9
283	Prometon	HB	5.85	226.0	86.3; 184.3	28; 18
284	Prometryn	HB	6.73	242.0	158.0; 200.1	25; 17
285	Propachlor	HB	5.58	212.1	94.1; 170.1	25; 14
286	Propamocarb	FU	1.00	189.2	102.0; 144.0	18; 12
287	Propanil	HB	5.78	217.9	127.0; 161.9	22; 16
288	Propaquizafop	HB	8.78	444.2	100.0; 163.1	20; 60
289	Propargite	AC	9.40	368.4	57.1; 231.3	20; 8
290	Propazine	HB	5.97	230.2	146.1; 188.1	24; 18
291	Propiconazole	FU	7.74	342.0	69.0; 159.0	22; 34
292	Propoxur	IN	3.74	210.0	111.0; 168.0	16; 10
293	Propyzamide	HB	6.37	256.1	173.0; 190.0	23; 16
294	Proquinazid	FU	9.67	373.5	289.2; 331.3	22; 13
295	Prosulfocarb	HB	8.59	252.0	90.9; 127.9	22; 13
296	Prosulfuron	HB	3.96	420.0	141.0; 167.0	20; 20
297	Prothifos	IN	10.05	345.1	133.0; 241.0	56; 18
298	Pymetrozine	IN	0.97	218.0	79.0; 105.0	30; 20
299	Pyraclostrobin	FU/PG	8.25	388.1	163.0; 193.9	25; 12
300	Pyraflufen-ethyl	HB	7.58	413.4	261.2; 339.2	37; 20
301	Pyridaben	AC/IN	9.92	365.1	147.1; 309.1	24; 12
302	Pyridaphenthion	IN/AC	6.58	341.0	92.0; 189.0	34; 22
303	Pyridate	HB	10.30	379.0	207.0; 351.1	18; 10
304	Pyrifenoxy	FU	7.07	295.0	67.2; 93.1	60; 22
305	Pyriproxyfen	IN	8.95	322.1	96.0; 227.1	14; 14
306	Pyroquilon	FU	3.53	174.0	117.0; 132.0	30; 23
307	Quinoclamine	AL/HB	3.29	208.0	77.0; 105.0	38; 21
308	Rimsulfuron	HB	1.47	431.9	182.1; 325.1	22; 14
309	Rotenone	IN	7.41	395.2	213.1; 367.2	22; 18
310	Sethoxydim	HB	7.38	328.0	178.0; 282.0	22; 10
311	Simazine	HB	3.66	202.0	96.0; 124.0	22; 16
312	Spinosyn A	IN	9.76	732.6	98.1; 142.0	59; 31
313	Spinosyn D	IN	10.11	746.5	98.1; 142.0	53; 31
314	Spirodiclofen	AC/IN	9.60	411.1	71.2; 313.0	13; 13
315	Spiromesifen	AC/IN	9.41	371.1	255.1; 273.1	24; 10
316	Spirotetramat	IN	7.05	374.3	302.2; 330.2	16; 13
317	Spirotetramat-enol	IN	1.90	302.1	117.0; 216.1	36; 26
318	Spirotetramat-enol-glocoside	IN	1.49	464.3	270.1; 302.1	32; 18
319	Spirotetramat-monohydroxy	IN	3.72	304.5	211.1; 254.1	18; 16
320	Spiroxamine	FU	7.70	298.0	100.0; 144.0	32; 20
321	Sulfometuron-methyl	HB	1.92	365.0	107.0; 150.0	43; 18
322	Sulfosulfuron	HB	2.00	471.0	211.0; 261.0	13; 18
323	Sulfotep	IN/AC	7.57	323.0	97.0; 171.0	32; 15
324	Tebuconazole	FU	7.80	308.0	70.1; 125.0	22; 40
325	Tebufenozide	IN	7.29	353.1	133.0; 297.1	20; 8
326	Tebufenpyrad	AC	8.81	334.0	117.0; 145.0	34; 28
327	Tebupirimfos	IN	8.94	319.0	153.0; 277.0	29; 15
328	Tebuthiuron	HB	3.95	229.0	116.0; 172.0	26; 18
329	Teflubenzuron	IN	8.82	380.9	140.9; 158.0	40; 20
330	Temephos	IN	8.91	466.8	125.0; 418.9	38; 22
331	Tepraloxydim	HB	3.16	342.1	166.1; 250.1	20; 12
332	Terbufos	IN	8.66	289.0	57.2; 103.0	22; 8
333	Terbufos-sulfone	IN	6.18	321.0	97.0; 171.0	40; 12
334	Terbufos-sulfoxide	IN	5.32	305.0	97.0; 187.0	40; 11
335	Terbumeton	HB	6.34	226.1	114.1; 170.1	25; 15
336	Terbutylazine-desethyl	HB	4.08	202.1	79.1; 146.1	26; 16
337	Tetraconazole	FU	6.96	372.0	70.1; 159.0	20; 30

338	Thiabendazole	FU	2.92	202.0	131.0; 175.0	30; 25
339	Thiacloprid	IN	2.33	253.0	90.1; 126.0	40; 20
340	Thiamethoxam	IN	1.08	292.0	132.0; 211.2	22; 12
341	Thidiazuron	PG	3.54	221.0	93.9; 101.9	13; 15
342	Thifensulfuron-methyl	HB	1.27	388.0	56.0; 167.0	40; 15
343	Thiobencarb	HB	7.96	258.2	89.1; 125.1	48; 18
344	Thiodicarb	IN	4.58	355.0	87.9; 107.9	16; 16
345	Thifanox-sulfone	IN	1.89	251.1	57.2; 76.1	10; 6
346	Thifanox-sulfoxide	IN	1.73	252.3	57.2; 104.2	20; 14
347	Thiophanate-methyl	FU	3.78	343.0	93.0; 151.0	46; 22
348	Tralkoxydim	HB	7.37	330.2	138.1; 284.3	19; 13
349	Triadimefon	FU	6.58	294.1	69.3; 197.2	20; 15
350	Triadimenol	FU	6.75	296.1	70.2; 99.1	10; 15
351	Tri-allate	HB	9.17	304.0	86.0; 142.9	18; 28
352	Triasulfuron	HB	2.12	402.0	141.0; 167.1	20; 17
353	Triazamate	IN	3.55	315.2	224.0; 270.1	19; 12
354	Tribenuron-methyl	HB	2.03	396.1	154.9; 180.9	14; 22
355	Trichlorfon	IN	1.89	257.0	79.0; 109.0	30; 18
356	Tricyclazole	FU	2.68	190.0	136.0; 163.0	22; 22
357	Trifloxystrobin	FU	8.49	409.0	145.0; 186.0	40; 16
358	Triflumizole	FU	8.48	346.0	73.1; 277.9	10; 10
359	Triflumuron	IN	7.79	359.0	139.1; 156.1	35; 16
360	Triflusulfuron-methyl	HB	4.83	493.2	96.0; 264.0	45; 18
361	Trinexapac-ethyl	PG	2.45	253.3	69.1; 207.2	20; 13
362	Triticonazole	FU	6.88	318.1	70.1; 124.9	16; 35
363	Vamidothion	IN/AC	1.91	288.0	118.0; 146.0	28; 10
364	Vernolate	HB	7.86	204.1	86.1; 128.1	14; 11
365	Zoxamide	FU	7.61	336.0	159.0; 187.1	38; 25

421 ^aAC: Acaricide; AL: Algicide; FU: Fungicide; HB: Herbicide; IN: Insecticide; NE: Nematicide; PA: Plant activator;
422 PG: Plant growth regulator; RO: Rodenticide; SA: Safener
423

Table S2. GC-MS/MS instrumental conditions for 142 target analytes.

	Pesticide	Pesticide type ^a	t _R , min	Quantifier, m/z	CE, eV	Qualifier, m/z	CE, eV
1	2-phenylphenol	FU	4.08	170 → 141	24	169 → 115	28
2	2,4-Dimethylaniline	AC/IN	2.00	121 → 106	15	120 → 77	21
3	Acetochlor	HB	7.53	223 → 132	22	223 → 147	10
4	Acrinathrin	AC	14.43	289 → 93	14	289 → 77	26
5	Aldrin	IN	8.58	263 → 193	33	263 → 192	36
6	Azinphos-ethyl	IN/AC	14.38	160 → 132	4	160 → 77	18
7	Benazolin-ethyl	HB	9.58	198 → 170	6	170 → 134	12
8	Benoxacor	SA	7.13	259 → 120	18	259 → 176	8
9	Bifenthrin	IN/AC	13.43	181 → 166	12	181 → 153	8
10	Biphenyl	FU	3.23	154 → 152	24	154 → 115	24
11	Bitertanol	FU	14.70	170 → 141	22	170 → 115	28
12	Bromophos-ethyl	IN	10.24	359 → 303	16	359 → 331	10
13	Bromophos-methyl	IN	9.14	331 → 316	14	331 → 286	28
14	Bromopropylate	AC	13.39	341 → 183	18	341 → 185	20
15	Butralin	HB/PG	9.15	266 → 174	21	266 → 147	24
16	Butylate	HB	3.50	174 → 146	6	174 → 75	4
17	Captan	FU	9.78	149 → 79	14	149 → 105	4
18	Carbosulfan	IN/NE	13.29	323 → 160	8	323 → 118	18
19	Carfentrazone-ethyl	HB	12.41	340 → 312	14	340 → 151	28
20	Chinomethionat	FU/AC/IN	10.10	234 → 206	8	234 → 148	24
21	Chlorbufam	HB	6.18	127 → 65	21	223 → 53	18
22	Chlordane (<i>cis</i> -)	IN	10.46	373 → 266	21	375 → 236	33
23	Chlordane (<i>trans</i> -)	IN	10.12	373 → 266	24	373 → 264	39
24	Chlordimeform	AC/IN	5.20	196 → 181	9	181 → 140	15
25	Chlorfenvinphos	IN	9.78	323 → 267	16	323 → 295	6
26	Chlorobenzilate	AC	11.75	251 → 139	15	139 → 111	12
27	Chloroneb	FU	3.99	191 → 113	12	191 → 141	9
28	Chlorothalonil	FU	6.56	264 → 168	24	266 → 133	33
29	Chlorpropham	HB/PG	5.23	127 → 65	21	127 → 92	12
30	Chlorpyrifos-ethyl	IN/AC	5.23	213 → 171	6	213 → 127	14
31	Chlorpyrifos-methyl	IN/AC	7.53	286 → 93	24	288 → 93	24
32	Chlorthal-dimethyl	HB	8.74	299 → 221	27	301 → 167	42
33	Cyanophos	IN	6.37	243 → 109	12	109 → 79	9
34	Cybutryne	AL/HB	9.86	182 → 109	10	253 → 182	12
35	Cycloate	HB	5.04	154 → 83	9	154 → 72	9
36	Cyfluthrin (<i>alpha</i>)	IN	15.21	226 → 206	14	226 → 199	6
37	Cyfluthrin (<i>beta</i>)	IN	15.28	226 → 206	14	226 → 199	6
38	Cyhalofop-butyl	HB	14.11	256 → 120	9	256 → 91	27
39	Cyhalothrin (<i>gamma</i>)	IN	14.10	197 → 141	12	197 → 161	8
40	Cyhalothrin (<i>lambda</i>)	IN	14.27	197 → 141	12	197 → 161	8
41	Cypermethrin (<i>alpha</i>)	IN/AC	15.41	181 → 152	22	181 → 127	22
42	Cypermethrin (<i>beta</i>)	IN/AC	15.53	181 → 152	22	181 → 127	22
43	Cypermethrin (<i>delta</i>)	IN/AC	15.55	181 → 152	22	181 → 127	22
44	Cypermethrin(<i>gamma</i>)	IN/AC	15.60	181 → 152	22	181 → 127	22
45	<i>o,p'</i> -DDD	IN	12.54	235 → 165	24	235 → 199	14
46	<i>o,p'</i> -DDE	IN	11.06	246 → 176	30	246 → 211	22
47	<i>o,p'</i> -DDT	IN	11.9	235 → 165	24	235 → 199	16
48	<i>p,p'</i> -DDD	IN	11.88	235 → 165	24	235 → 199	14
49	<i>p,p'</i> -DDE	IN	10.28	246 → 176	30	246 → 211	22
50	<i>p,p'</i> -DDT	IN	11.16	235 → 165	24	235 → 199	16
51	DEET	IN/AC	4.52	119 → 91	9	119 → 65	21
52	Diazinon	IN/AC	6.61	304 → 179	10	304 → 162	8
53	Dibenzofuran	IN	4.06	141 → 115	15	170 → 141	21
54	Dichlobenil	HB	2.97	171 → 100	30	171 → 136	12

55	Dichlormid	SA	3.05	172 → 108	6	172 → 96	9
56	Diclofop-methyl	HB	12.89	340 → 253	14	340 → 281	10
57	Dicloran	FU	5.83	124 → 73	12	124 → 97	9
58	Dicofol	AC	8.96	250 → 139	14	250 → 215	8
59	Diieldrin	IN	11.03	79 → 77	12	79 → 51	24
60	Dimethipin	PG/HB	6.05	118 → 58	6	124 → 76	6
61	Diniconazole	FU	11.82	268 → 232	12	268 → 149	24
62	Dinobuton	FU/AC	9.90	211 → 163	9	211 → 117	18
63	Dioxabenzophos	IN	5.30	216 → 201	10	216 → 183	10
64	Diphenamid	HB	9.18	167 → 152	20	167 → 128	26
65	Diphenylamine	PG	4.93	169 → 66	24	169 → 77	28
66	Dipropetryn	HB	8.62	255 → 222	10	255 → 180	20
67	Endosulfan (<i>alpha</i>)	IN/AC	10.42	160 → 125	15	241 → 206	12
68	Endosulfan (<i>beta</i>)	IN/AC	5.83	160 → 125	12	159 → 123	12
69	Endosulfan sulfate	IN/AC	12.41	387 → 289	10	387 → 253	16
70	Endrin	IN/RO	11.44	263 → 191	30	263 → 193	36
71	Endrin ketone	IN/RO	13.15	281 → 245	12	281 → 209	24
72	EPTC	HB	3.08	189 → 128	4	189 → 86	12
73	Esfenvalerate	IN	16.08	419 → 225	6	419 → 167	12
74	Etaconazole	FU	11.83	245 → 173	15	245 → 191	18
75	Ethalfluralin	HB	5.20	316 → 276	10	316 → 202	24
76	Ethion	IN/AC	11.96	231 → 129	24	153 → 97	12
77	Ethoprophos	NE/IN	5.02	200 → 158	6	200 → 114	14
78	Etridiazole	FU	3.61	211 → 140	21	183 → 140	18
79	Fenamiphos	NE	10.82	303 → 195	8	303 → 154	18
80	Fenitrothion	IN	8.26	277 → 260	6	277 → 109	14
81	Fenobucarb	IN	4.76	150 → 121	10	150 → 103	24
82	Fipronil	IN	9.70	367 → 213	30	367 → 178	45
83	Fluazifop-butyl	HB	11.70	282 → 91	18	383 → 282	15
84	Flurochloridone	HB	9.08	313 → 174	15	313 → 187	15
85	Flusilazole	FU	11.25	233 → 152	14	233 → 165	14
86	Fluvalinate-τ 1	IN/AC	16.15	250 → 55	20	250 → 200	20
87	Fluvalinate-τ 2	IN/AC	16.23	250 → 55	20	250 → 200	20
88	Folpet	FU	9.91	104 → 76	9	260 → 130	21
89	Formothion	IN/AC	7.17	224 → 125	18	224 → 155	12
90	HCH (<i>alpha</i> -)	IN/RO	5.59	219 → 183	8	219 → 145	20
91	HCH (<i>beta</i> -)	IN/RO	6.07	219 → 183	8	219 → 145	20
92	HCH (<i>gamma</i> -)	IN/RO	6.23	219 → 183	8	219 → 145	20
93	HCH (<i>delta</i> -)	IN/RO	6.81	219 → 183	10	219 → 145	20
94	Heptachlor	IN	7.77	272 → 237	20	272 → 117	32
95	Heptachlor epoxide	IN	9.62	353 → 265	30	353 → 191	42
96	Hexachlorobenzene	FU	5.65	284 → 214	36	286 → 214	33
97	Iprodione	FU/NE	13.27	314 → 56	27	316 → 56	30
98	Isocarbamid	HB	6.33	142 → 70	15	142 → 113	10
99	Kresoxim-methyl	FU	11.36	206 → 131	14	206 → 116	6
100	Metalaxyl	FU	7.91	249 → 190	8	249 → 146	22
101	Methidathion	IN/AC	10.13	145 → 85	8	145 → 58	14
102	Methoxychlor	IN	13.49	227 → 169	24	227 → 212	14
103	Metolachlor	HB	8.60	238 → 162	12	238 → 133	26
104	Molinate	HB	4.25	126 → 55	12	126 → 83	6
105	Nereistoxin	IN	2.65	149 → 71	8	149 → 102	6
106	Nitrapyrin	BA	3.59	194 → 133	15	196 → 135	15
107	N-methyl-N-(1-naphthyl) acetamide	IN/AC	6.42	214 → 71	21	214 → 132	9
108	Oxyfluorfen	HB	11.33	252 → 146	21	252 → 170	24
109	Parathion	IN/AC	8.86	291 → 109	14	291 → 137	6
110	Parathion-methyl	IN	7.65	263 → 109	15	263 → 79	30
111	Pentachlorobenzene	HB	4.07	250 → 215	15	250 → 142	33

112	Permethrin (<i>cis</i>)	IN	14.86	183 → 168	14	183 → 165	14
113	Permethrin (<i>trans</i>)	IN	14.76	183 → 168	14	183 → 165	14
114	Phtalimide	FU	3.73	147 → 103	6	147 → 76	27
115	Pirimiphos-ethyl	IN	9.31	333 → 163	6	333 → 168	33
116	Pirimiphos-methyl	IN	8.28	290 → 125	27	290 → 151	18
117	Procymidone	FU	9.92	283 → 96	10	283 → 255	12
118	Profenofos	IN	10.98	337 → 267	18	139 → 97	6
119	Propham	HB/PG	3.67	137 → 93	9	93 → 66	12
120	Pyrazophos	FU	14.33	221 → 193	12	221 → 149	14
121	Pyrimethanil	FU	6.61	198 → 183	14	198 → 158	18
122	Quinalphos	IN	9.88	146 → 118	10	157 → 129	14
123	Quinoxifen	FU	12.43	237 → 208	28	237 → 182	28
124	Quintozene	FU	6.13	295 → 237	21	237 → 119	30
125	Quizalofop-P-ethyl	HB	15.55	372 → 299	14	372 → 272	10
126	Tecnazene	FU/PG	4.62	261 → 203	12	203 → 85	21
127	Tefluthrin	IN	6.97	177 → 127	16	177 → 137	16
128	Terbumeton-desethyl	HB	5.23	141 → 111	9	141 → 69	21
129	Terbutylazine	HB	6.42	229 → 173	10	229 → 214	10
130	Terbutryn	HB	8.30	241 → 185	6	241 → 170	14
131	Tetrachlorvinphos	IN	10.36	331 → 109	20	331 → 79	25
132	Tetradifon	AC/IN	13.77	356 → 229	12	356 → 159	18
133	Tetrahydrophtalamide	FU	3.89	151 → 79	15	151 → 122	20
134	Tetramethrin	IN	13.47	164 → 107	14	164 → 135	8
135	Tetrasul	AC	12.13	324 → 252	20	324 → 254	20
136	Thiazopyr	HB	8.62	255 → 222	10	255 → 180	20
137	Thiometon	IN/AC	7.66	125 → 47	14	125 → 79	10
138	Tolclofos-methyl	FU	7.69	265 → 250	12	265 → 93	27
139	Tolylfluanid	FU	9.66	238 → 137	14	238 → 91	28
140	Triazophos	IN/AC	12.21	257 → 162	8	257 → 134	22
141	Trifluralin	HB	5.35	306 → 264	8	306 → 206	14
142	Vinclozolin	FU	7.65	285 → 212	12	285 → 178	14

425
426

^aAC: Acaricide; AL: Algicide; BA: Bactericide; FU: Fungicide; HB: Herbicide; IN: Insecticide; NE: Nematicide; PG: Plant growth regulator; RO: Rodenticide; SA: Safener

427

Table S3. Limit of quantification (LOQ), recovery, precision (%RSDs) and measurement uncertainty (U) values for 507 target analytes

	Pesticide	LOQ (mg kg ⁻¹)	Recovery (%)		Repeatability (%RSD, n=5)		Within-laboratory reproducibility (%RSD, n=10)		U
			0.01 mg kg ⁻¹	0.05 mg kg ⁻¹	0.01 mg kg ⁻¹	0.05 mg kg ⁻¹	0.01 mg kg ⁻¹	0.05 mg kg ⁻¹	%
1	2-phenylphenol	8.7	89.0	109.7	5.67	1.76	9.10	5.78	24.0
2	2,4-D	10.0	83.5	92.3	8.24	2.17	14.56	8.45	42.8
3	2,4-Dimethylaniline	11.3	78.3	87.6	12.12	8.55	10.59	6.19	36.8
4	Acephate	9.2	97.9	98.9	2.58	2.73	11.33	5.32	23.1
5	Acetamiprid	6.1	105.3	96.2	4.87	1.29	3.34	1.00	11.0
6	Acetochlor	6.9	96.7	114.1	5.43	1.96	9.30	3.07	26.6
7	Acibenzolar-S-methyl	4.7	97.2	99.5	3.36	1.48	4.84	2.49	10.2
8	Acitidone	10.8	105.2	100.9	2.68	1.58	11.98	5.21	23.0
9	Acrinathrin	8.4	84.9	107.2	3.55	5.26	6.96	12.19	33.8
10	Aldicarb	11.9	81.0	101.0	21.65	18.87	16.21	27.91	41.9
11	Aldicarb-sulfone	6.5	101.7	97.6	6.08	8.03	5.23	15.61	28.9
12	Aldicarb-sulfoxide	4.7	102.7	97.0	2.54	7.11	4.53	1.98	9.9
13	Aldrin	7.5	91.6	115.6	8.70	12.16	5.69	8.78	38.3
14	Allethrin	6.5	104.5	97.2	2.00	11.41	6.24	3.85	15.6
15	Alloxydim	12.5	105.2	101.2	3.38	3.17	17.22	4.44	31.3
16	Ametryn	6.2	104.7	101.4	1.38	2.18	4.45	1.53	10.7
17	Amidosulfuron	5.9	106.7	96.3	1.04	1.76	3.71	2.25	12.3
18	Aminocarb	9.9	100.9	94.9	1.75	2.55	11.71	6.24	30.1
19	Amisulbrom	6.2	98.7	105.4	3.78	8.31	4.26	7.20	19.1
20	Amitraz	10.1	94.4	94.5	3.46	5.15	10.11	7.52	32.3
21	Anilofos	6.4	99.7	97.0	4.96	3.68	13.10	15.68	30.5
22	Aramite	5.4	97.9	96.7	3.72	4.80	5.84	5.25	14.3
23	Asulam	9.2	93.8	93.9	8.68	13.24	9.12	4.14	23.6
24	Atrazine	4.2	102.4	100.4	1.49	1.81	4.19	2.04	8.7
25	Atrazine-desethyl	4.6	101.2	94.6	1.34	1.28	4.01	4.82	12.7
26	Atrazine-desisopropyl	2.4	101.2	95.0	1.65	0.66	3.11	1.26	9.7
27	Azaconazole	7.9	99.5	100.5	1.18	1.03	10.53	1.30	20.0
28	Azamethiphos	10.4	98.8	98.2	1.84	1.61	16.71	1.53	28.3
29	Azimsulfuron	6.8	102.3	97.2	1.28	2.29	7.00	4.40	14.8
30	Azinphos-ethyl	7.3	80.3	89.8	5.96	4.97	6.00	7.03	36.9
31	Azinphos-methyl	11.1	99.3	95.5	25.19	20.07	10.82	11.06	35.5
32	Aziprotryne	3.8	100.9	100.3	5.46	3.88	4.26	8.78	28.0
33	Azoxystrobin	7.9	102.3	97.5	1.46	4.06	8.59	4.21	17.1
34	Beflubutamid	4.9	102.7	99.3	1.43	2.54	4.46	3.91	12.2
35	Benazolin-ethyl	8.6	82.9	103.3	6.80	2.42	8.51	5.01	24.0
36	Bendiocarb	6.8	106.1	95.2	0.82	2.16	5.45	2.91	13.2
37	Benfuracarb	7.3	101.7	102.5	1.47	1.73	7.12	5.77	16.9
38	Benodanil	5.5	102.8	99.3	1.27	1.44	5.43	2.01	11.0
39	Benoxacor	5.1	95.9	111.2	3.61	1.96	4.92	2.84	15.9
40	Bensulfuron-methyl	11.5	101.7	98.6	4.11	2.25	12.60	3.78	23.7
41	Bensulide	3.4	102.1	96.2	1.03	10.57	2.78	9.44	19.3
42	Benthiavalicarb-isopropyl	4.7	101.8	104.7	2.27	2.10	5.93	5.97	18.7
43	Benzoximate	5.5	101.6	96.5	2.19	1.42	5.13	5.20	13.8
44	Benzthiazuron	3.4	100.1	99.5	8.53	12.06	25.54	26.17	28.9
45	Bifenazate	7.9	102.7	89.0	1.09	4.95	6.60	9.37	32.0
46	Bifenthrin	6.4	89.1	107.5	5.82	3.62	6.31	4.75	21.8
47	Biphenyl	9.2	84.4	107.7	10.55	2.15	8.30	6.38	28.5
48	Bitertanol	9.7	92.0	95.3	24.33	17.97	29.77	18.78	44.7
49	Boscalid	7.3	100.6	98.4	2.78	3.71	10.72	3.99	19.6

50	Bromacil	6.4	103.2	99.2	1.36	1.49	5.70	3.66	13.3
51	Bromophos-ethyl	9.2	77.9	102.6	5.31	2.45	9.78	10.99	32.7
52	Bromophos-methyl	5.7	93.9	108.8	5.18	1.34	7.19	3.75	19.7
53	Bromopropylate	8.7	95.3	104.7	6.01	1.73	8.75	7.11	25.3
54	Bromoxynil	12.0	68.5	93.6	22.93	18.34	28.91	25.33	54.8
55	Bromuconazole	7.6	100.7	95.0	1.81	5.42	9.78	5.68	20.4
56	Bupirimate	5.8	103.1	100.1	1.46	2.73	6.60	4.59	12.0
57	Buprofezin	5.5	103.3	98.4	0.89	3.66	5.92	3.34	13.2
58	Butachlor	4.7	101.9	97.9	9.07	6.26	26.11	21.47	28.8
59	Butafenacil	4.3	100.8	96.6	4.72	3.33	4.64	2.56	11.1
60	Butocarboxim-sulfoxide	2.4	101.4	97.5	2.86	1.42	3.18	1.91	7.8
61	Butoxycarboxim	5.2	103.1	97.9	1.99	1.44	4.57	2.93	11.1
62	Butralin	8.4	81.9	104.7	6.68	5.63	5.88	4.79	25.9
63	Butylate	8.7	126.4	117.1	10.77	11.58	28.25	18.46	31.6
64	Buturon	3.2	102.7	94.1	1.87	1.54	2.92	1.21	11.8
65	Cadusafos	4.9	102.0	103.7	2.22	5.42	4.85	8.18	20.4
66	Captan	11.3	84.5	88.1	23.33	21.27	27.72	20.67	52.0
67	Carbaryl	3.2	101.8	97.9	1.39	2.04	3.19	2.14	7.6
68	Carbendazim	2.4	100.4	98.5	0.78	1.12	2.17	3.29	8.2
69	Carbetamide	9.1	102.6	96.7	2.26	2.29	13.12	4.10	24.3
70	Carbofuran	4.9	102.7	103.2	1.41	0.74	4.81	18.78	32.3
71	Carbofuran-3-OH	4.7	102.8	95.1	1.54	1.89	4.15	2.95	14.2
72	Carbofuran-3-keto	9.2	99.9	97.4	4.29	2.72	9.34	4.68	22.3
73	Carbosulfan	8.9	80.9	93.8	9.34	6.55	11.18	8.33	41.3
74	Carboxin	4.2	97.9	96.4	2.09	2.11	4.32	2.26	10.3
75	Carfentrazone-ethyl	9.0	81.9	96.0	3.19	6.36	9.10	6.09	33.8
76	Carpropamide	3.2	103.5	95.7	1.37	2.05	3.62	2.39	9.9
77	Chinomethionat	10.4	90.6	92.2	6.10	10.48	10.61	11.28	43.5
78	Chlorbromuron	4.7	102.3	98.0	0.65	2.31	4.96	2.28	11.1
79	Chlorbufam	5.1	95.3	103.1	5.55	7.10	5.16	7.77	18.7
80	Chlordane (<i>cis</i> -)	5.7	66.1	70.9	24.53	19.26	21.91	21.65	35.1
81	Chlordane (<i>trans</i> -)	6.7	68.3	64.6	24.58	20.90	18.83	7.97	53.1
82	Chlormeform	7.1	77.6	109.2	6.24	3.52	6.42	2.77	30.7
83	Chlorfenvinphos	5.9	94.5	112.7	6.48	1.10	4.81	2.78	22.1
84	Chlorfluazuron	7.6	99.7	92.9	1.93	10.32	5.13	4.96	17.0
85	Chloridazon	4.9	107.5	95.2	0.98	0.60	1.87	4.47	13.9
86	Chlormequat chloride	7.7	100.9	97.6	3.65	2.72	11.33	3.25	20.1
87	Chlorobenzilate	7.6	89.1	108.1	1.83	2.92	7.67	5.34	24.5
88	Chloroneb	6.7	90.8	112.7	7.57	1.32	8.10	4.84	24.6
89	Chlorothalonil	3.4	101.6	95.4	2.25	3.96	3.28	12.23	22.1
90	Chlorotoluron	7.1	104.0	95.7	10.01	12.07	25.56	17.83	30.7
91	Chloroxuron	5.1	102.5	98.3	1.59	1.73	3.75	3.53	10.8
92	Chlorpropham	4.9	96.3	107.6	6.43	1.33	6.50	3.15	17.1
93	Chlorpyrifos-ethyl	5.0	92.2	112.3	6.47	2.02	4.53	927	31.7
94	Chlorpyrifos-methyl	5.1	94.7	111.6	8.75	2.66	6.13	2.25	19.1
95	Chlorsulfuron	5.5	105.0	96.5	2.73	3.21	6.04	2.21	12.1
96	Chlorthal-dimethyl	7.0	94.0	111.4	8.32	1.55	7.82	2.93	24.3
97	Chlorthiamid	3.8	102.4	97.6	0.48	1.23	3.52	2.77	9.6
98	Cinidon-ethyl	4.2	97.8	100.4	3.42	4.43	3.14	7.48	15.4
99	Cinosulfuron	5.4	102.4	98.1	2.81	1.23	4.94	1.39	9.7
100	Clethodim	7.3	105.3	100.1	3.08	2.45	7.79	11.15	26.0
101	Climbazole	5.1	101.3	100.4	1.56	2.65	4.59	2.13	10.9
102	Clodinafop-propargyl	4.9	100.8	94.3	2.50	3.28	3.87	3.11	13.1
103	Clofentezine	5.8	99.5	105.1	4.29	3.95	5.49	4.71	14.5
104	Clomazone	4.2	101.9	103.2	10.51	8.91	24.47	20.18	28.4
105	Cloquintocet mexyl	2.7	101.5	97.8	2.69	3.46	2.23	4.06	10.0
106	Clothianidin	8.0	103.6	99.6	1.61	1.36	8.82	2.76	16.8
107	Coumachlor	4.7	102.7	92.5	1.27	2.46	4.79	4.11	15.4

108	Coumaphos	5.8	100.1	102.3	3.41	1.68	7.00	2.68	13.4
109	Cyanazine	6.4	105.8	101.9	2.76	0.89	8.30	2.53	16.8
110	Cyanophos	4.6	96.6	105.7	3.32	2.64	3.59	2.99	10.9
111	Cyazofamid	5.1	103.1	101.6	1.18	3.14	5.74	3.62	13.7
112	Cybutryne	7.6	84.0	109.3	8.13	2.03	10.68	2.53	26.6
113	Cyclanilide	7.7	102.1	88.6	1.08	3.26	8.34	9.39	29.0
114	Cycloate	6.9	127.8	121.2	15.91	4.68	25.52	18.26	51.5
115	Cyclosulfamuron	5.5	97.3	102.7	2.53	2.01	5.82	6.98	17.3
116	Cycloxydim	5.5	101.7	92.8	10.08	12.83	25.45	17.42	30.7
117	Cycluron	6.8	103.2	93.1	0.79	2.34	7.87	4.00	20.0
118	Cyflufenamid	4.3	101.0	98.5	2.58	3.45	5.09	5.22	13.5
119	Cyfluthrin (<i>alpha</i>)	9.9	81.4	84.0	23.04	20.36	10.63	10.96	42.6
120	Cyfluthrin (<i>beta</i>)	7.5	74.1	109.1	6.82	7.85	8.37	15.92	45.9
121	Cyhalofop-butyl	9.7	74.9	81.3	11.16	12.31	26.78	18.78	39.9
122	Cyhalothrin (<i>gamma</i>)	8.9	71.6	8.32	6.23	3.86	11.05	8.91	44.8
123	Cyhalothrin (<i>lambda</i>)	6.8	89.0	103.4	6.05	3.80	4.58	8.61	25.6
124	Cymoxanil	5.5	102.2	98.9	2.24	3.37	4.74	5.30	16.3
125	Cypermethrin (<i>alpha</i>)	8.7	86.3	95.1	4.29	5.48	12.51	8.06	32.3
126	Cypermethrin (<i>beta</i>)	8.3	88.1	85.3	5.10	8.44	8.54	8.86	35.6
127	Cypermethrin (<i>delta</i>)	8.5	86.5	85.5	4.81	2.96	8.08	5.41	33.3
128	Cypermethrin (<i>gamma</i>)	9.8	79.5	96.4	25.88	16.63	8.77	11.13	35.7
129	Cyproconazole	8.7	98.8	95.5	5.71	4.74	8.58	10.62	24.9
130	Cyprodinil	4.7	101.9	104.5	1.39	0.85	4.27	1.54	11.0
131	Dazomet	8.4	102.7	98.0	1.21	0.63	10.89	9.91	30.3
132	<i>o,p'</i> -DDD	3.7	99.6	101.7	6.72	3.96	2.24	4.37	11.0
133	<i>o,p'</i> -DDE	7.0	97.5	115.1	4.74	1.48	8.56	2.34	23.9
134	<i>o,p'</i> -DDT	22.7	84.6	76.0	8.93	8.76	7.66	8.51	39.5
135	<i>p,p'</i> -DDD	17.7	85.6	108.3	8.64	3.75	7.65	5.44	30.3
136	<i>p,p'</i> -DDE	5.8	97.3	118.9	9.79	2.09	5.30	2.95	27.2
137	<i>p,p'</i> -DDT	7.9	84.4	112.3	6.18	2.35	6.88	3.81	27.9
138	DEET	6.1	90.9	115.7	2.37	1.42	8.29	4.12	27.4
139	Deltamethrin	7.1	97.8	97.2	3.49	7.88	6.26	9.38	22.6
140	Demeton-S-methyl	2.4	99.7	98.3	2.78	2.74	3.71	5.87	12.7
141	Demeton-S-methyl-sulfone	7.7	103.5	100.3	12.61	10.11	28.54	19.11	31.0
142	Demeton s methyl sulfoxide	8.3	102.5	99.6	11.68	10.81	11.79	10.71	20.1
143	Desmedipam	2.4	101.4	102.9	2.90	1.64	3.71	8.95	17.2
144	Desmetryn	2.4	99.3	100.4	1.35	1.09	3.65	2.59	7.8
145	Diafenthiuron	5.5	101.4	94.7	3.41	7.47	6.09	7.90	18.7
146	Dialifos	7.3	97.4	94.5	3.20	3.84	8.79	5.99	18.6
147	Di-allate	4.9	97.7	101.5	4.72	2.87	4.48	4.32	11.7
148	Diazinon	6.4	85.1	113.6	9.01	1.78	7.57	5.29	27.1
149	Dibenzofuran	7.0	91.6	108.8	7.01	2.15	8.51	2.94	19.9
150	Dichlobenil	7.8	91.9	111.4	10.26	9.54	7.06	8.78	34.7
151	Dichlofenthion	4.7	98.6	106.9	4.39	6.30	4.30	6.43	17.0
152	Dichlofluanid	10.8	101.4	77.5	1.60	10.77	12.46	5.19	39.5
153	Dichlormid	9.2	80.5	115.8	8.89	1.86	11.52	7.81	36.7
154	Dichlorvos	9.8	95.5	101.0	3.91	2.36	15.05	2.15	25.9
155	Diclofop-methyl	12.0	83.7	97.7	14.49	4.13	11.54	3.74	31.1
156	Diclobutrazol	4.9	100.7	97.3	1.22	1.57	3.25	2.29	8.6
157	Dicloran	5.9	96.0	92.2	3.16	2.31	6.10	6.52	24.0
158	Dicofol	7.1	83.2	109.9	5.81	5.87	6.57	4.24	28.5
159	Dicrotophos	3.2	97.4	99.9	12.07	11.72	22.50	20.82	27.3
160	Dieldrin	6.9	101.9	114.2	21.79	19.93	9.82	12.99	29.1
161	Diethofencarb	3.8	102.6	91.8	2.38	2.13	5.31	3.22	14.0
162	Difenoconazole	4.2	102.7	98.6	1.49	4.01	4.21	3.52	10.5
163	Diflubenzuron	6.4	105.4	97.3	3.06	2.18	6.15	5.09	15.8

164	Dimefox	2.4	99.6	101.7	2.60	1.32	2.52	3.79	13.8
165	Dimefuron	3.2	102.0	96.8	2.68	2.53	3.46	2.14	8.6
166	Dimepiperate	10.4	92.7	82.0	7.91	8.77	10.34	11.75	33.3
167	Dimethachlor	3.8	98.1	101.2	1.66	1.23	6.69	2.75	13.6
168	Dimethenamid	5.5	99.3	98.1	2.39	4.96	5.54	6.08	15.1
169	Dimethipin	7.5	92.0	106.0	7.84	5.06	6.68	4.41	22.0
170	Dimethoate	5.5	101.4	97.4	0.90	1.60	26.44	18.78	29.4
171	Dimethomorph	4.9	98.0	96.7	4.71	3.28	3.87	3.53	12.1
172	Dimetilan	3.8	99.4	99.3	1.97	1.09	5.11	1.22	9.3
173	Dimoxystrobin	2.4	98.7	96.6	2.03	2.28	2.67	3.90	9.4
174	Diniconazole	9.8	87.1	92.7	10.93	7.14	9.08	14.50	37.6
175	Dinobuton	5.0	128.2	118.5	22.07	18.52	24.89	22.65	48.9
176	Dinocap	8.1	102.6	97.4	2.56	8.19	8.29	4.65	20.0
177	Dioxabenzophos	7.8	86.3	111.0	14.62	12.31	24.35	20.23	33.3
178	Dioxacarb	5.1	102.8	99.2	1.31	1.66	3.57	1.73	8.8
179	Diphenamid	4.2	96.1	113.1	4.08	2.69	3.96	3.56	18.3
180	Diphenylamine	9.1	88.9	110.2	5.48	3.57	11.60	5.37	28.3
181	Dipropetryn	8.6	84.1	110.0	7.10	1.79	8.18	3.79	28.2
182	Disulfoton	19.3	82.7	97.9	8.39	12.67	13.52	12.64	40.2
183	Disulfoton sulfone	5.9	100.1	99.1	1.55	2.15	4.05	3.71	11.0
184	Disulfoton sulfoxide	3.8	101.7	101.5	0.98	3.16	3.27	4.83	11.4
185	Ditalimfos	11.1	93.7	80.0	20.58	28.32	16.04	6.02	37.8
186	Dithiopyr	7.3	99.4	101.4	13.46	8.56	28.56	23.18	31.0
187	Diuron (DCMU)	2.4	102.5	94.9	1.49	2.29	3.76	3.52	10.4
188	Dodemorph	3.8	91.8	101.1	2.36	7.14	2.76	5.52	16.3
189	Dodine	7.3	97.8	97.2	0.79	5.20	9.56	3.09	22.5
190	Edifenphos	4.6	102.6	97.8	1.41	3.19	3.30	4.42	12.5
191	Emamectin benzoate B1a	7.9	91.4	88.7	3.49	6.31	7.78	6.29	25.3
192	Endosulfan (<i>alpha</i>)	7.0	126.8	122.9	5.37	2.49	8.45	2.58	32.5
193	Endosulfan (<i>beta</i>)	7.9	95.6	97.2	7.59	1.66	7.98	3.71	21.7
194	Endosulfan sulfate	10.0	86.6	105.7	11.33	6.41	12.77	9.85	33.3
195	Endrin	6.2	85.3	116.0	11.87	4.97	11.37	4.58	34.6
196	Endrin ketone	7.3	93.6	115.0	8.89	4.60	6.45	3.42	25.2
197	EPN	4.7	101.3	97.0	1.01	11.50	4.80	4.74	15.8
198	Epoxiconazole	6.9	103.3	102.8	1.05	4.59	8.13	2.72	16.0
199	EPTC	8.3	89.1	111.0	11.67	2.48	10.13	7.91	29.2
200	Esfenvalerate	7.5	82.0	97.8	10.86	4.46	7.01	18.78	40.9
201	Esprocarb	6.2	102.3	100.5	1.82	1.72	6.86	4.31	15.0
202	Etaconazole	7.3	76.5	91.1	7.37	2.78	15.02	7.32	42.8
203	Ethalfluralin	8.5	89.7	92.6	6.27	1.90	12.36	11.35	35.6
204	Ethiofencarb	5.1	95.3	101.6	0.60	1.93	6.13	5.41	15.3
205	Ethiofencarb-sulfone	1.9	100.6	98.6	1.46	1.66	2.91	1.54	5.8
206	Ethiofencarb-sulfoxide	2.0	100.4	97.6	1.94	1.30	2.51	0.92	6.3
207	Ethion	9.8	86.8	93.2	4.07	4.29	10.30	7.44	33.6
208	Ethiprole	4.7	101.3	99.5	1.71	4.84	5.64	3.18	12.6
209	Ethirimol	8.3	97.3	98.1	2.72	1.81	7.35	2.59	18.1
210	Ethofumesate	7.3	101.7	99.1	0.96	1.75	7.15	3.07	14.6
211	Ethoprophos	4.9	92.4	114.2	6.89	1.67	6.37	3.47	23.1
212	Ethoxyquin	10.8	75.1	83.1	3.71	8.37	10.37	8.20	42.8
213	Etofenprox	4.7	97.5	96.7	5.18	3.56	7.43	5.21	11.3
214	Etoxazole	4.6	106.2	100.5	11.68	10.89	13.00	11.78	27.8
215	Etridiazole	6.9	92.5	111.7	10.11	2.71	7.54	8.41	25.4
216	Famoxadone	7.3	127.3	114.2	4.72	3.92	8.07	5.64	20.2
217	Famphur	5.5	100.4	102.8	1.35	1.85	6.74	2.91	14.9
218	Fenamidone	7.3	103.0	100.4	2.16	1.03	7.20	2.95	15.0
219	Fenamiphos	10.0	81.2	107.6	7.70	6.62	9.50	13.14	40.2
220	Fenamiphos-sulfone	5.9	96.8	102.7	2.76	1.85	6.02	2.56	14.4

221	Fenamiphos-sulfoxide	3.4	101.3	100.7	0.76	0.80	5.20	0.89	9.2
222	Fenarimol	5.8	101.2	91.0	2.86	4.89	6.63	5.97	18.3
223	Fenazaquin	9.2	86.1	98.8	7.45	5.50	8.02	6.42	22.4
224	Fenbuconazole	5.5	101.4	103.7	3.74	3.09	7.14	3.89	15.1
225	Fenbutatin oxide	9.7	96.0	94.0	4.03	10.87	12.13	5.79	26.7
226	Fenchlorazole-ethyl	3.8	101.9	97.3	2.33	2.68	22.37	18.03	28.3
227	Fenfuram	5.1	101.3	96.2	2.27	1.60	4.25	4.11	11.1
228	Fenhexamid	4.7	100.8	93.2	2.99	2.54	3.45	3.74	16.1
229	Fenitrothion	5.7	87.7	97.3	2.96	4.92	4.83	9.49	35.9
230	Fenobucarb	5.9	94.3	112.9	9.47	11.40	26.38	20.12	33.1
231	Fenoxyanil	5.5	101.5	95.4	1.69	4.05	6.90	4.83	15.9
232	Fenoxyprop-P-ethyl	6.8	107.7	97.3	0.69	7.84	5.11	10.91	26.0
233	Fenoxy carb	4.6	98.8	97.2	1.77	3.72	3.90	4.77	12.5
234	Fenpiclonil	7.1	102.4	104.8	2.39	4.16	7.76	4.02	20.7
235	Fenpropathrin	10.1	88.0	102.7	23.03	18.07	5.48	5.49	23.1
236	Fenpropidin	4.6	98.4	98.1	3.72	2.28	3.88	3.05	10.2
237	Fenpropimorph	2.4	92.0	99.5	1.40	10.07	2.00	7.15	20.1
238	Fenpyroximate	4.2	100.3	105.1	12.52	11.80	23.55	18.34	28.0
239	Fensulfothion	5.7	103.3	100.4	0.59	3.00	7.53	3.67	15.1
240	Fenthion	3.8	104.4	103.6	3.52	1.57	3.14	4.74	12.5
241	Fenthion-sulfone	7.3	97.7	95.8	5.00	6.91	8.34	5.66	20.5
242	Fenthion-sulfoxide	5.7	99.0	100.9	2.05	1.78	7.02	3.96	15.2
243	Fenuron	4.3	102.3	98.3	2.01	2.79	2.12	1.90	8.5
244	Fipronil	4.8	91.1	94.1	2.08	3.77	5.84	8.86	21.2
245	Flamprop-M	2.4	99.8	94.9	3.45	1.12	3.65	3.15	10.8
246	Florasulam	8.0	101.8	98.9	11.62	11.10	19.27	21.78	31.6
247	Fluazifop-butyl	10.8	80.0	99.2	7.15	3.17	9.57	5.61	33.7
248	Fluazinam	8.4	89.1	87.0	5.34	7.27	9.74	7.38	32.9
249	Flucycloxuron	5.4	98.9	98.7	8.34	7.18	2.80	3.88	12.0
250	Fludioxonil	7.7	92.4	94.0	8.83	4.84	8.61	9.26	34.3
251	Flufenacet	5.1	103.2	96.4	0.81	4.15	3.40	4.86	12.0
252	Flufenoxuron	6.8	94.8	106.2	5.18	2.20	5.46	3.27	17.1
253	Fluometuron	5.7	106.0	98.7	2.31	2.58	5.37	4.28	14.0
254	Fluoxastrobin	5.1	96.6	100.8	14.50	6.14	27.85	23.14	31.8
255	Fluquinconazole	4.2	101.3	101.1	3.25	2.07	6.17	6.55	17.0
256	Fluridone	4.9	103.0	98.7	2.68	2.63	4.71	4.25	12.3
257	Flurochloridone	9.2	87.1	89.7	3.48	4.62	9.20	4.92	32.4
258	Fluroxypyr	5.1	97.7	102.2	5.75	3.57	3.11	2.95	10.2
259	Fluroxypyr-meptyl	4.2	104.3	101.9	4.73	5.50	2.73	3.72	13.9
260	Flurtamone	7.6	101.5	96.3	1.98	3.01	8.37	3.12	18.0
261	Flusilazole	10.6	77.1	94.5	8.45	4.92	12.38	4.85	38.0
262	Fluthiacet-methyl	4.7	102.7	94.6	2.53	1.62	5.53	1.75	15.1
263	Flutolanil	4.2	100.9	96.5	1.92	4.31	4.37	4.25	11.6
264	Flutriafol	5.4	101.2	96.2	2.44	2.12	7.72	1.88	14.2
265	Fluvalinate-τ 1	7.0	97.3	101.2	3.07	15.95	5.91	8.03	23.5
266	Fluvalinate-τ 2	4.3	90.3	114.1	1.17	3.38	3.91	4.91	22.3
267	Folpet	6.5	95.2	105.5	5.58	9.22	5.36	4.46	15.8
268	Fonofos	4.7	101.3	98.8	2.24	2.05	2.06	4.12	11.1
269	Foramsulfuron	3.8	103.4	96.1	11.38	8.18	22.26	1853	29.1
270	Formetanete hydrochloride	9.1	94.8	87.7	12.99	2.05	9.13	5.66	23.7
271	Formothion	6.2	83.1	90.3	5.95	8.48	6.20	5.09	29.9
272	Fosthiazate	6.2	97.8	98.8	2.42	2.41	5.57	2.05	13.0
273	Fuberidazole	6.1	96.1	98.2	2.07	1.74	5.73	1.66	14.4
274	Furathiocarb	3.2	101.7	101.0	1.71	4.12	3.81	3.05	9.6
275	Furmecyclo	2.4	103.1	94.1	2.66	2.87	2.16	2.74	11.1
276	Halosulfuron-methyl	4.2	102.1	97.4	1.89	1.87	6.08	3.17	12.8

277	Haloxyfop	12.4	95.5	92.9	22.61	18.19	17.29	13.39	39.2
278	Haloxyfop-P-methyl	7.3	101.0	84.0	2.31	2.80	8.18	6.14	28.4
279	HCH (<i>alpha</i> -)	8.3	87.4	111.6	4.76	1.29	6.20	5.38	23.8
280	HCH (<i>beta</i> -)	8.7	83.1	116.1	9.72	1.98	8.08	1.54	30.9
281	HCH (<i>gamma</i> -, lindane)	8.4	88.6	110.9	5.21	1.71	5.73	4.63	21.8
282	HCH (<i>delta</i> -)	5.7	96.6	113.8	6.40	3.00	5.06	2.08	23.0
283	Heptachlor	5.9	93.6	113.4	2.56	1.04	4.05	3.11	20.4
284	Heptachlor epoxide	7.7	85.1	109.4	9.48	4.10	9.45	3.23	29.2
285	Heptenophos	5.9	100.7	103.6	1.0	1.53	6.29	3.11	14.1
286	Hexachlorobenzene	7.1	88.2	112.9	6.81	2.69	8.26	4.08	25.3
287	Hexaconazole	6.1	102.5	101.3	1.44	3.47	6.81	3.94	14.6
288	Hexaflumuron	9.2	106.3	101.3	0.92	3.47	6.81	3.94	37.9
289	Hexazinone	6.4	103.3	98.6	1.08	2.75	8.71	1.69	15.5
290	Hexythiazox	6.2	105.0	101.7	1.73	5.74	4.29	5.93	14.9
291	Imazalil	1.4	102.4	100.2	1.28	0.91	1.85	2.31	5.4
292	Imazapyr	7.7	63.8	62.1	20.46	22.99	25.98	18.50	51.7
293	Imazethapyr	7.0	96.3	99.0	3.20	5.51	8.85	5.85	19.3
294	Imidacloprid	4.6	103.6	97.6	8.72	4.63	5.95	8.54	28.1
295	Indoxacarb	4.7	98.3	99.6	4.43	3.66	2.05	4.38	10.5
296	Iodosulfuron-methyl	6.2	102.6	101.0	0.56	1.04	7.48	2.0	14.9
297	Ioxynil	10.2	93.8	92.1	5.53	6.18	12.53	7.32	34.9
298	Iprobenfos	5.7	102.1	99.0	2.27	3.96	6.89	3.78	14.8
299	Iprodione	6.9	94.4	91.1	12.33	8.80	4.33	10.68	28.3
300	Iprovalicarb	5.5	102.5	98.8	3.09	2.04	2.89	3.50	10.6
301	Isocarbamid	8.3	77.0	74.6	11.89	6.64	8.24	5.46	48.2
302	Isocarbophos	4.3	102.9	95.6	1.02	1.60	2.51	4.04	10.7
303	Isoprocarb	4.3	101.5	99.3	1.76	1.67	3.36	2.01	8.5
304	Isoprothiolane	2.8	100.2	101.1	3.15	4.00	2.21	7.84	16.6
305	Isoproturon	4.2	98.1	96.2	1.62	1.18	2.13	1.89	10.0
306	Isoxaben	3.8	100.7	99.0	2.15	2.43	2.78	3.51	9.1
307	Isoxaflutole	3.9	102.5	97.6	1.20	1.66	3.59	3.47	11.2
308	Ixoxyathion	6.2	102.4	97.6	7.13	4.11	5.36	3.25	12.8
309	Karbutilate	3.2	98.5	100.9	2.79	2.43	3.04	2.57	8.4
310	Kresoxim-methyl	9.6	88.6	106.4	3.57	3.22	9.64	3.76	29.2
311	Lenacil	5.5	100.2	100.8	3.32	1.83	6.89	2.23	13.0
312	Linuron	3.8	101.1	98.7	3.03	4.05	4.33	5.04	13.5
313	Lufenuron	10.4	88.4	93.5	9.04	6.29	12.38	9.75	36.4
314	Malaoxon	5.5	100.6	99.7	1.84	1.67	7.62	3.06	14.3
315	Malathion	4.6	105.2	98.2	3.80	2.51	2.94	3.56	9.9
316	Mecarbam	6.8	103.4	94.0	0.76	3.15	6.87	4.16	15.6
317	Mefenacet	5.4	101.8	97.6	1.70	4.12	8.89	5.49	18.5
318	Mepanipyrim	4.7	103.4	99.7	1.39	2.05	6.88	3.58	14.0
319	Mephosfolan	5.5	99.7	97.0	2.25	2.51	6.59	2.78	13.8
320	Mepronil	3.8	104.0	95.6	0.74	2.31	3.16	3.52	11.5
321	Metalaxyl	6.9	85.7	115.9	6.14	2.23	6.78	3.07	28.2
322	Metalaxyl-M	5.7	102.3	98.0	1.49	1.81	7.28	5.57	7.2
323	Metamitron	4.2	103.5	94.7	3.80	1.40	4.54	4.14	12.2
324	Metconazole	4.7	101.8	102.0	2.81	2.12	4.83	8.54	28.2
325	Methabenzthiazuron	2.0	102.0	97.8	1.91	1.04	1.87	2.11	6.5
326	Methacrifos	4.7	100.6	105.4	3.49	2.41	3.73	3.10	15.7
327	Methamidophos	4.3	102.9	98.0	1.40	0.99	6.15	6.08	16.2
328	Methidathion	5.1	98.7	92.1	2.23	5.18	3.33	7.08	20.8
329	Methiocarb	4.2	102.0	96.9	3.14	1.05	4.76	3.36	10.9
330	Methiocarb-sulfone	11.0	101.7	94.7	1.80	4.99	11.10	5.31	25.2
331	Methiocarb-sulfoxide	5.0	106.1	94.7	4.20	2.96	3.44	2.67	14.9
332	Methomyl	6.4	101.5	102.7	2.70	2.19	6.56	4.58	16.5

333	Methoprene	8.1	99.2	105.0	5.40	6.26	9.38	12.49	27.2
334	Methoxychlor	4.2	97.5	95.3	4.08	3.85	3.29	6.99	15.3
335	Methoxyfenozide	6.5	99.4	105.0	3.25	9.17	4.71	10.98	22.3
336	Metobromuron	9.6	102.2	96.7	11.69	12.25	23.11	17.91	35.9
337	Metolachlor	5.0	91.8	111.8	3.13	1.62	5.30	3.91	20.1
338	Metolcarb	3.8	97.6	98.8	2.68	3.50	3.06	2.44	8.4
339	Metosulam	9.1	103.7	94.6	1.02	1.75	10.25	2.80	20.1
340	Metoxuron	5.5	99.0	99.6	1.57	1.22	5.97	1.63	11.5
341	Metrafenone	4.3	103.5	99.5	1.13	2.99	4.04	2.69	10.3
342	Metribuzin	5.9	101.0	99.7	0.98	1.62	8.79	1.69	14.6
343	Mevinphos	1.7	100.9	97.6	0.66	1.54	2.53	2.36	8.1
344	Molinate	6.2	92.9	111.1	6.22	2.72	6.55	6.28	23.3
345	Monocrotophos	7.1	96.7	100.6	8.47	1.35	5.05	1.76	10.9
346	Monolinuron	2.4	99.7	96.5	1.53	1.64	2.64	2.34	9.9
347	Monuron	4.2	100.7	96.1	0.85	1.60	5.45	18.78	29.2
348	Myclobutanil	3.2	103.8	98.7	4.65	3.95	2.73	6.14	15.3
349	N-(2,4 dimethylphenyl) formamide	4.6	103.3	99.4	0.92	2.20	3.39	3.28	11.5
350	N-(2,4Dimethylphenyl)-N-methylformamide	5.7	103.6	97.1	1.62	1.38	4.60	4.63	13.4
351	Napropamide	4.7	98.6	104.2	3.01	2.16	3.69	3.96	13.1
352	Neburon	6.4	104.7	108.9	6.45	4.03	4.88	7.11	17.8
353	Nereistoxin	12.0	84.3	105.6	22.56	18.23	22.58	20.35	46.0
354	Nicosulfuron	2.4	103.3	98.4	1.62	2.45	2.92	1.20	7.7
355	Nitenpyram	7.9	101.9	98.9	1.07	2.65	8.63	3.66	16.8
356	Nitralin	5.1	99.3	99.6	1.82	3.63	5.34	4.12	12.7
357	Nitrapyrin	5.9	103.3	107.5	2.83	3.35	5.93	6.89	19.4
358	N-Methyl-N-(1-Naphthyl) acetamide	5.1	94.2	115.4	5.85	1.46	6.11	3.20	22.8
359	Nuarimol	8.6	99.4	97.2	5.50	4.16	8.97	5.78	32.0
360	Ofurace	3.4	101.3	99.4	2.47	1.97	3.69	2.56	8.7
361	Omethoate	2.4	100.6	93.6	4.36	2.98	2.58	3.10	14.5
362	Oxadiazon	4.7	102.7	98.0	0.91	10.22	5.60	7.85	18.5
363	Oxadixyl	7.0	94.9	99.1	1.99	2.79	7.52	2.43	16.5
364	Oxamyl	2.4	100.6	100.2	1.11	1.82	2.96	1.54	6.2
365	Oxasulfuron	5.5	102.6	94.8	2.01	1.75	3.00	1.83	11.0
366	Oxycarboxin	4.7	102.1	95.1	6.15	1.50	4.63	1.68	11.6
367	Oxyfluorfen	6.8	60.3	74.6	7.17	6.25	8.51	13.57	43.9
368	Paclobutrazol	5.8	104.8	102.3	6.51	3.36	4.79	9.54	29.9
369	Paraoxon-ethyl	4.9	101.9	104.1	1.88	6.85	4.18	11.63	23.1
370	Paraoxon-methyl	8.4	100.6	105.6	2.26	3.47	9.01	4.10	20.8
371	Parathion	8.6	87.3	103.2	10.48	3.83	7.12	3.81	29.8
372	Parathion-methyl	6.9	83.0	108.0	5.11	6.91	6.47	9.91	33.2
373	Penconazole	4.3	102.2	97.2	1.14	3.20	4.00	2.04	9.6
374	Pencycuron	6.4	102.4	100.7	2.12	4.32	7.89	4.18	15.7
375	Pendimethalin	3.2	98.0	101.1	3.46	4.84	2.61	3.55	8.9
376	Pentachlorobenzene	10.2	78.8	116.7	6.62	2.35	9.61	2.83	36.0
377	Permethrin (<i>cis</i>)	9.9	94.0	106.3	13.88	13.13	23.12	17.50	36.0
378	Permethrin (<i>trans</i>)	8.9	78.6	90.2	4.04	8.62	10.15	5.52	32.8
379	Phenmediphosphine	2.4	101.4	90.9	1.79	1.67	3.16	3.92	15.1
380	Phentoate	4.7	103.3	96.3	1.30	4.13	2.82	4.75	11.7
381	Phtalimide	4.3	97.5	94.2	5.72	4.30	5.77	6.19	16.5
382	Phorate	5.4	102.8	103.2	0.89	3.43	5.67	4.05	14.2
383	Phorate-sulfone	6.8	104.9	101.8	6.76	1.95	6.57	3.79	14.1
384	Phorate-sulfoxide	7.3	102.7	99.2	10.68	8.14	9.46	12.53	31.3
385	Phosalone	4.9	102.6	104.8	1.01	4.13	4.77	5.23	15.3
386	Phosmet	9.8	98.9	94.6	6.44	6.53	8.38	9.32	30.9
387	Phosphamidon	4.3	98.6	101.4	1.01	2.47	5.55	2.40	11.5

388	Phoxim	6.0	102.6	108.1	2.68	4.36	5.87	2.26	15.0
389	Picolinafen	5.8	103.0	96.4	3.99	2.81	6.27	2.70	13.2
390	Picoxystrobin	3.2	96.9	93.0	3.03	1.86	3.79	5.01	13.6
391	Piperophos	4.3	99.3	101.0	2.19	1.54	3.48	3.54	10.2
392	Pirimicarb	6.8	104.4	89.7	3.39	1.40	7.46	5.54	33.7
393	Pirimiphos-ethyl	10.0	80.6	110.3	11.52	4.84	9.67	5.52	36.1
394	Pirimiphos-methyl	5.9	82.4	114.3	6.90	1.65	5.58	3.50	27.6
395	Primsulfuron-methyl	5.4	102.7	98.1	4.08	1.67	6.05	3.53	12.6
396	Prochloraz	5.0	103.8	96.2	1.61	3.56	4.60	3.69	12.8
397	Procymidone	6.4	88.5	112.4	6.14	3.49	6.43	2.01	23.5
398	Profenofos	8.3	94.8	90.0	9.47	7.43	7.12	5.53	23.6
399	Profoxydim	7.6	124.5	119.6	17.93	13.39	25.67	16.75	20.2
400	Promecarb	4.7	98.4	103.8	3.79	2.22	5.98	3.42	12.8
401	Prometon	4.2	100.4	99.3	4.18	3.07	3.78	3.86	10.1
402	Prometryn	4.7	101.3	100.5	1.78	0.86	4.97	2.51	10.3
403	Propachlor	4.3	103.1	96.0	3.21	1.40	2.07	1.46	8.8
404	Propamocarb	5.1	92.2	99.8	2.03	0.83	3.48	2.41	11.3
405	Propanil	3.2	101.7	93.1	1.90	2.79	6.44	3.36	16.7
406	Propaquizafop	4.2	102.1	98.5	2.47	1.93	4.97	2.42	10.3
407	Propargite	4.7	103.0	107.4	4.47	4.12	4.62	3.87	13.9
408	Propazine	7.3	102.3	93.6	4.99	6.05	8.71	5.09	21.2
409	Propham	6.4	89.6	114.0	3.72	2.26	7.37	7.31	29.2
410	Propiconazole	2.4	102.6	100.7	1.84	1.96	3.12	1.31	6.9
411	Propoxur	4.2	103.7	97.3	4.41	1.52	3.94	2.31	9.6
412	Propyzamide	4.7	102.6	106.0	1.56	2.23	6.51	5.02	17.5
413	Proquinazid	3.8	97.0	93.7	2.98	11.65	4.93	8.54	20.2
414	Prosulfocarb	5.4	100.9	104.5	2.72	2.76	6.22	2.84	13.8
415	Prosulfuron	6.8	102.4	94.2	10.29	11.72	8.85	965	32.9
416	Prothifos	5.8	99.2	95.5	4.13	1.43	5.93	7.21	17.8
417	Pymetrozine	6.5	102.7	98.7	3.94	1.73	6.70	3.02	14.0
418	Pyraclostrobin	5.4	104.1	95.0	1.17	2.62	4.25	2.42	11.1
419	Pyraflufen-ethyl	6.9	106.9	101.1	3.82	3.31	6.37	4.05	14.5
420	Pyrazophos	8.1	75.6	79.8	4.61	5.81	6.49	5.92	46.4
421	Pyridaben	2.4	97.3	99.2	2.69	4.15	2.79	3.96	10.0
422	Pyridaphenthion	5.5	104.3	97.2	2.98	3.90	6.21	3.18	13.5
423	Pyridate	3.4	102.4	101.0	3.76	2.66	3.17	2.29	8.2
424	Pyrifenoxy	3.8	90.6	102.1	3.68	1.45	3.27	4.80	15.9
425	Pyrimethanil	5.5	90.2	107.6	3.79	4.49	6.18	5.33	20.4
426	Pyriproxyfen	5.5	106.4	102.1	3.90	2.03	5.24	2.54	12.3
427	Pyroquilon	3.8	98.9	96.9	8.91	6.05	3.85	9.72	28.9
428	Quinalphos	7.7	82.3	93.7	4.16	1.82	6.98	8.13	28.1
429	Quinoclamine	9.4	104.4	93.4	4.28	3.50	10.72	4.20	22.0
430	Quinoxifen	5.1	91.3	104.5	5.69	1.74	6.97	18.78	32.9
431	Quintozene	4.2	97.9	110.8	4.77	3.70	3.22	6.30	16.6
432	Quizalofop-P-ethyl	10.3	72.6	112.4	4.17	9.45	7.42	6.48	40.5
433	Rimsulfuron	4.7	103.4	97.1	1.72	0.83	4.24	3.35	10.9
434	Rotenone	5.5	98.2	96.0	2.75	1.57	5.08	5.79	14.5
435	Sethoxydim	8.8	103.8	96.1	4.73	3.19	11.82	5.79	23.9
436	Simazine	6.7	97.4	102.8	6.37	2.85	7.19	1.99	14.0
437	Spinosyn A	4.9	103.2	86.0	1.03	10.15	5.07	5.50	24.8
438	Spinosyn D	5.0	92.9	94.1	2.28	2.33	6.23	6.58	19.2
439	Spirodiclofen	5.5	105.0	96.7	5.76	8.63	2.28	7.24	15.6
440	Spiromesifen	11.3	86.8	88.4	9.10	12.54	15.84	16.88	42.9
441	Spirotetramat	4.9	105.6	94.6	3.64	4.34	3.62	9.78	29.6
442	Spirotetramat-enol	4.2	98.3	95.0	1.22	1.41	4.43	3.44	11.6
443	Spirotetramat-enol-glicoside	4.7	105.0	95.8	1.12	1.61	4.44	2.70	11.4
444	Spirotetramat-	2.4	100.5	98.4	3.59	2.85	2.35	2.99	7.9

	monohydroxy								
445	Spiroxamine	3.4	98.5	99.4	2.02	1.52	3.58	1.16	7.0
446	Sulfometuron-methyl	2.4	100.8	101.5	1.79	2.20	3.68	5.53	11.7
447	Sulfosulfuron	4.9	102.7	97.7	1.40	1.77	4.03	2.81	10.4
448	Sulfotep	2.4	98.9	102.9	2.64	4.17	2.91	3.45	8.7
449	Tebuconazole	5.5	105.2	98.7	6.43	2.71	3.38	7.63	28.0
450	Tebufenozide	5.4	102.3	91.6	1.30	9.42	6.71	7.39	21.3
451	Tebufenpyrad	6.2	103.3	102.3	1.27	2.99	4.65	4.54	13.0
452	Tebupirimfos	6.7	97.4	105.1	2.63	2.80	8.73	5.99	20.1
453	Tebuthiuron	7.7	103.0	98.4	0.89	1.68	8.19	1.83	15.1
454	Tecnazene	6.2	92.4	106.6	7.18	4.64	5.62	3.02	16.9
455	Teflubenzuron	10.4	86.5	88.9	22.36	20.51	11.25	16.64	33.8
456	Tefluthrin	7.3	86.5	114.7	2.95	1.13	6.32	3.13	26.6
457	Temephos	5.0	107.1	96.1	1.25	6.89	4.17	6.40	16.3
458	Tepraloxydim	5.7	101.6	95.4	1.75	2.53	6.69	6.65	17.8
459	Terbufos	9.1	87.8	93.5	9.83	12.56	10.99	10.27	30.0
460	Terbufos-sulfone	5.8	105.4	98.7	4.82	1.67	5.71	4.34	13.4
461	Terbufos-sulfoxide	4.6	102.5	95.0	4.81	1.59	3.42	18.78	29.0
462	Terbumeton	4.7	102.4	98.7	1.59	2.34	4.58	3.14	10.4
463	Terbumetom-desethyl	6.1	94.2	105.8	3.40	1.42	4.42	3.59	12.4
464	Terbutylazine	5.9	94.6	114.6	6.43	2.91	7.26	2.58	25.9
465	Terbutylazine-desethyl	3.2	100.6	96.3	1.03	1.67	3.71	1.70	9.1
466	Terbutryn	5.9	91.4	111.5	3.03	1.17	6.90	2.29	21.2
467	Tetrachlorvinphos	3.8	96.3	91.9	17.71	15.89	23.33	20.85	30.8
468	Tetraconazole	7.3	103.8	101.3	4.16	2.77	9.25	2.18	17.1
469	Tetradifon	7.5	83.7	111.3	7.88	2.60	7.29	4.08	28.4
470	Tetrahydrophtalamide	6.1	95.2	102.2	4.23	4.73	7.42	6.30	19.5
471	Tetramethrin	5.5	92.3	101.4	3.43	2.30	4.23	4.78	16.0
472	Tetrasul	8.4	82.5	108.8	3.58	4.72	9.58	5.02	26.1
473	Thiabendazole	4.3	98.9	101.9	2.73	1.35	4.79	1.76	9.8
474	Thiacloprid	5.5	98.2	100.1	1.85	1.14	9.36	1.56	16.5
475	Thiamethoxam	4.7	104.9	97.4	2.97	2.67	7.54	4.39	15.4
476	Thiazopyr	8.6	80.2	110.9	6.35	3.10	9.71	3.50	30.3
477	Thidiazuron	8.7	106.0	94.6	14.14	13.74	23.50	17.78	31.9
478	Thifensulfuron-methyl	6.5	103.3	98.7	1.46	1.38	7.61	2.13	14.2
479	Thiobencarb	6.4	127.4	121.3	24.50	18.49	25.48	17.37	50.9
480	Thiodicarb	8.0	103.6	97.9	3.36	1.48	11.17	2.34	19.1
481	Thiofanox-sulfone	5.5	104.8	97.0	3.80	4.30	5.41	5.23	15.4
482	Thiofanox-sulfoxide	7.6	99.8	102.8	2.46	5.03	6.89	3.81	15.0
483	Thiometon	5.0	95.2	96.3	5.78	3.16	3.98	3.83	13.7
484	Thiophanate-methyl	7.8	101.0	97.0	1.34	1.18	12.06	1.73	20.5
485	Tolclofos-methyl	6.2	92.2	115.4	3.61	2.11	6.27	2.63	21.7
486	Tolylfluanid	4.9	77.6	102.7	13.76	15.35	12.27	19.05	44.1
487	Tralkoxydim	10.2	105.3	104.1	5.00	2.27	13.07	3.74	23.2
488	Triadimefon	5.8	104.5	98.2	4.86	2.74	5.20	7.68	30.8
489	Triadimenol	5.7	105.6	95.3	4.74	3.70	4.27	4.21	12.9
490	Tri-allate	6.2	107.6	103.5	1.89	3.44	3.60	6.74	16.1
491	Triasulfuron	6.2	105.8	96.7	3.55	1.63	4.13	4.18	12.0
492	Triazamate	4.2	101.9	95.5	2.25	1.50	4.39	4.02	14.1
493	Triazophos	8.6	74.5	81.5	5.25	7.30	6.10	8.02	47.4
494	Tribenuron-methyl	5.4	101.7	102.5	2.30	3.71	4.32	2.76	10.7
495	Trichlorfon	8.0	104.7	98.3	5.81	2.53	9.06	2.22	16.3
496	Tricyclazole	3.8	96.3	93.8	1.03	1.92	3.61	3.37	14.4
497	Trifloxystrobin	5.4	103.3	97.8	1.65	2.34	5.54	3.10	11.8
498	Triflumizole	3.2	101.7	100.3	1.60	3.15	5.17	1.88	9.5
499	Triflumuron	4.7	102.9	94.1	1.91	6.84	4.98	7.52	29.6
500	Trifluralin	5.8	88.8	90.7	5.87	2.49	4.47	11.12	32.9
501	Triflusulfuron-methyl	6.8	103.0	87.4	3.37	1.71	7.96	5.46	22.9

430

502	Trinexapac-ethyl	4.6	104.0	98.2	5.25	2.29	3.00	4.48	11.2
503	Triticonazole	6.5	106.0	104.7	3.97	2.46	6.32	4.38	16.8
504	Vamidothion	2.4	102.9	99.8	1.97	0.92	3.07	1.92	7.3
505	Vernolate	4.7	104.6	103.9	4.39	3.90	4.33	2.18	12.1
506	Vinclozolin	7.0	92.0	114.4	7.44	2.12	6.72	3.95	23.5
507	Zoxamide	6.5	103.0	97.7	1.42	4.33	5.10	3.41	12.4

Note: Recoveries of <70% and >120%, RSDs>20% and $U > 50\%$ are in bold.