# Food Science of Animal Resources

Food Sci. Anim. Resour. 2020 May 40(3):495 DOI https://doi.org/10.5851/kosfa.2020.e27





# Erratum to: Comparisons of Beef Fatty Acid and Amino Acid Characteristics between Jeju Black Cattle, Hanwoo, and Wagyu Breeds

Seung-Hoon Lee<sup>1,†</sup>, Chung-Nam Kim<sup>2,†</sup>, Kyoung-Bo Ko<sup>2</sup>, Se-Pill Park<sup>2</sup>, Ho-Kyoung Kim<sup>3</sup>, Jun-Mo Kim<sup>4,\*</sup>, and Youn-Chul Ryu<sup>2,\*</sup>

<sup>1</sup>Division of Biotechnology, College of Life Science, Korea University, Seoul 02841, Korea

<sup>2</sup>Division of Biotechnology, SARI, Jeju National University, Jeju 63243, Korea
<sup>3</sup>Division of Food Nutrition and Culinary Art, Dong-Eui Institute of Technology, Busan 47230, Korea

<sup>4</sup>Department of Animal Science and Technology, College of Biotechnology and Natural Resources, Chung-Ang University, Anseong 17546, Korea

#### Erratum

In the published article "Comparisons of Beef Fatty Acid and Amino Acid Characteristics between Jeju Black Cattle, Hanwoo, and Wagyu Breeds. Food Sci Anim Resour 39:402-409. https://doi.org/10.5851/kosfa.2019.e33," the acknowledgements have to be modified. The editorial office will report that this amendment is made at the request of the author.

### Acknowledgements

This work was supported by a grant (715003-07) from the Research Center for Production Management and Technical Development for High Quality Livestock Products through Agriculture, Food and Rural Affairs Research Center Support Program, Ministry of Agriculture, Food and Rural Affairs.

#### References

Lee SH, Kim CN, Ko KB, Park SP, Kim HK, Kim JM, Ryu YC. 2019. Comparisons of beef fatty acid and amino acid characteristics between Jeju black cattle, Hanwoo, and Wagyu breeds. Food Sci Anim Resour 39:402-409.

© Korean Society for Food Science of Animal Resources. This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licences/by-nc/3.0) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

## OPEN ACCESS

\*Corresponding author : Jun-Mo Kim Department of Animal Science and Technology, College of Biotechnology and Natural Resources, Chung-Ang University, Anseong 17546, Korea Tel: +82-31-670-3263 Fax: +82-31-675-3108 E-mail: junmokim@cau.ac.kr

Youn-Chul Ryu Division of Biotechnology, Jeju National University, Jeju 63243, Korea Tel: +82-64-754-3332 Fax: +82-64-725-2403 E-mail: ycryu@jejunu.ac.kr

#### \*ORCID

Seung-Hoon Lee https://orcid.org/0000-0001-6703-7914 Chung-Nam Kim https://orcid.org/0000-0003-0833-0111 Kyoung-Bo Ko https://orcid.org/0000-0002-5837-0974 Se-Pill Park https://orcid.org/0000-0002-6965-7831 Ho-Kyoung Kim https://orcid.org/0000-0002-7995-1129 Jun-Mo Kim https://orcid.org/0000-0002-6934-398X Youn-Chul Ryu https://orcid.org/0000-0001-8940-624X

<sup>†</sup> These authors contributed equally to this study.